

## Produktinformation



### Information

<i>Tillverkare</i>	Allied Telesis
<i>Artnr</i>	AT-IMC2000TP/SC-980

## Allied Telesis Industrial Ethernet Media Converter AT-IMC2000TP/SC - Fibre media converter - GigE - 10Base-T, 100Base-TX, 1000Base-T, 1000Base-X, 100Base-X - RJ-45 / SC multi-mode - up to 550 m - 850 nm

Allied Telesis Industrial Ethernet Media Converter offers an operating range from -40 °C to 75 °C. The temperature-hardened IMC series features Plug and Play and auto-negotiation.

## Specifikation

### General

<b>Device Type</b>	Fibre media converter
<b>Form Factor</b>	External

### Networking

<b>Connectivity Technology</b>	Wired
<b>Cabling Type</b>	10Base-T, 100Base-TX, 1000Base-T, 1000Base-X, 100Base-X
<b>Data Link Protocol</b>	100Mb LAN, GigE
<b>Data Transfer Rate</b>	1 Gbps
<b>Optical Wave Length</b>	850 nm
<b>Max Transfer Distance</b>	550 m
<b>Status Indicators</b>	Link/activity
<b>Compliant Standards</b>	IEEE 802.3at

### Expansion / Connectivity

<b>Interfaces</b>	1 x Ethernet 1000Base-X - SC multi-mode female 1 x Ethernet 1000Base-T (PoE) - RJ-45 female
-------------------	---

### Miscellaneous

<b>Compliant Standards</b>	FCC Class A certified, VCCI, EN55024, ICES, EN61000-3-2, EN61000-3-3, EN 55032
----------------------------	--

Power

**Power Over Ethernet (PoE)** PoE+

Dimensions & Weight

**Width** 11.1 cm

**Depth** 9.6 cm

**Height** 3.5 cm

**Weight** 748 g

Environmental Parameters

**Min Operating Temperature** -40 °C

**Max Operating Temperature** 75 °C

**Humidity Range Operating** 5 - 90% (non-condensing)