

Produktinformation



Information

<i>Tillverkare</i>	Allied Telesis
<i>Artnr</i>	AT-SPLX40

Allied Telesis AT SPLX40 - SFP (mini-GBIC) transceiver module - GigE - 1000Base-LX - LC single-mode - up to 40 km - 1310 nm

The Allied Telesis SP Series delivers flexible, full-duplex Ethernet connectivity. These hot-swappable fiber and copper interfaces simply plug into the SFP slot on all SFP-compatible devices. Configuration can be optimized to meet a wide variety of distance and service requirements. Allied Telesis SP Series Gigabit Small Form-Factor Pluggables (SFPs) are supported on all Allied Telesis devices with SFP uplink connections.

Specifikation

General

Device Type	SFP (mini-GBIC) transceiver module
Form Factor	Plug-in module

Networking

Connectivity Technology	Wired
Cabling Type	1000Base-LX
Data Link Protocol	GigE
Data Transfer Rate	1 Gbps
Optical Wave Length	1310 nm
Max Transfer Distance	40 km
Features	Digital Diagnostics Monitoring (DDM)

Expansion / Connectivity

Interfaces	1 x Ethernet 1000Base-LX - LC single-mode female x 2
-------------------	--

Manufacturer Warranty

Service & Support	Limited warranty - 2 years
------------------------------	----------------------------

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	70 °C