

## Produktinformation



### Information



Tillverkare

Apple

Artnr

MH6M3QN/A

**Apple iPhone XR - Smartphone - dual-SIM - 4G LTE Advanced - 64 GB - GSM - 6.1" - 1792 x 828 pixels (326 ppi) - Liquid Retina HD display - 12 MP (7 MP front camera) - black**

An advanced LCD. Even faster Face ID. And a breakthrough camera system. The iPhone XR is beautiful any way you look at it.

## Specifikation

### General

<b>Product Type</b>	Smartphone
<b>Manufacturer Model Number</b>	A2105
<b>Form Factor</b>	Touch
<b>Protection</b>	Dustproof, splashproof, waterproof
<b>Width</b>	75.7 mm
<b>Depth</b>	8.3 mm
<b>Height</b>	150.9 mm
<b>Weight</b>	194 g
<b>Body Colour</b>	Black
<b>SAR Value</b>	0.99 W/kg (body), 0.99 W/kg (head)

### Cellular

<b>Technology</b>	WCDMA (UMTS) / GSM
<b>Mobile Broadband Generation</b>	4G
<b>Service Provider</b>	Not specified
<b>Operating System</b>	iOS 14

<b>Intelligent Assistant</b>	Siri
<b>Navigation</b>	A-GPS, GLONASS, Galileo, QZSS
<b>SIM Card Type</b>	Nano SIM, Electronic SIM card (e-SIM)
<b>SIM Card Qty</b>	Dual-SIM
<b>Payment Technology</b>	Apple Pay
<b>Input Device</b>	Multi-touch
Communications	
<b>Data Transmission</b>	EDGE, HSPA+, LTE, DC-HSDPA, LTE Advanced, VoLTE, FDD-LTE, TDD-LTE, VoWiFi
<b>2G Band</b>	GSM 850/900/1800/1900
<b>4G LTE Band</b>	Band 1, Band 2, Band 3, Band 4, Band 5, Band 7, Band 8, Band 12, Band 13, Band 14, Band 17, Band 18, Band 19, Band 20, Band 25, Band 26, Band 28, Band 29, Band 30, Band 32, Band 34, Band 38, Band 39, Band 40, Band 41, Band 66
<b>4G LTE Frequency</b>	FDD 2100, FDD 1900 PCS, FDD 1800+, FDD 1700 - 2110 AWS, FDD 850, FDD 2600, FDD 900, FDD 700a, FDD 700c, FDD 700 PS, FDD 700b, FDD 800 lower, FDD 800 upper, FDD 800 DD, FDD 1900+, FDD 850+, FDD 700 APT, FDD 700d, FDD 2300 WCS, FDD 1500 L, TDD 2000, TDD 2600, TDD 1900, TDD 2300, TDD 2500, FDD 1700 - 2110 AWS-3
<b>Wireless Interface</b>	NFC, IEEE 802.11ac, Bluetooth 5.0
Phone Features	
<b>Phone Functions</b>	Speakerphone, voice control, call timer, conference call, flight mode, voice dialing, vibrating alert
<b>Sensors</b>	Accelerometer, ambient light sensor, proximity sensor, 3-axis gyro sensor, digital compass, barometer
<b>Security Devices</b>	Face ID
<b>Additional Features</b>	TTY compatible, FaceTime, iCloud Photo Sharing, MIMO technology, Wi-Fi Calling, iBeacon microlocation, QuickType keyboard, Apple TV support (2nd or later), Neural Engine, AirPlay Mirroring, Express Transit cards with power reserve
Media Player	
<b>Supported Digital Audio Standards</b>	Audible, MP3, FLAC, Apple Lossless, AC-3, AAC-LC, LPCM, HE-AAC, Audible AAX, Audible AAX+, protected AAC, EAC3, HE-AAC v2
<b>Supported Digital Video Standards</b>	M-JPEG, H.264, HEVC, MPEG-4 Part 2, HEIF
<b>Sound Enhancements</b>	Dolby Digital Plus sound, Dolby Digital sound
Processor	
<b>Type</b>	Apple A12 Bionic
<b>Processor Core Qty</b>	6-core
Memory	
<b>Internal Memory Capacity</b>	64 GB

Front Camera	
<b>Sensor Resolution</b>	7 Megapixel
<b>Sensor Type</b>	BSI
<b>Lens Type</b>	Wide-angle lens
<b>Lens Aperture</b>	F/2.2
<b>HDR Mode</b>	Smart HDR
<b>Face Detection</b>	Body and face detection, face recognition
<b>Camera Modes</b>	Burst mode, Timer mode, portrait mode, Live Photos, Portrait mode with advanced bokeh and Depth Control, Portrait Lighting, wide colour capture for photos and Live Photos
<b>Video Resolutions</b>	1920 x 1080 (1080p) at 30 fps, 1920 x 1080 (1080p) at 60 fps
<b>Light Source</b>	Retina Flash
<b>Features</b>	FaceTime HD camera, Exposure control, Auto image stabilisation, Animoji, Memoji, TrueDepth camera, Extended dynamic range for video, Cinematic video stabilisation
Rear Camera	
<b>Sensor Resolution</b>	12 Megapixel
<b>Sensor Type</b>	BSI
<b>Optical Image Stabiliser</b>	Optical Image Stabiliser (OIS)
<b>Lens Type</b>	Wide-angle lens
<b>Lens Aperture</b>	F/1.8
<b>Lens Construction</b>	6-element
<b>Focus Adjustment</b>	Automatic
<b>Digital Zoom</b>	5
<b>Camera Modes</b>	Burst mode, Panorama, Time-lapse mode, Timer mode, tap to focus, portrait mode, Live Photos, Live Photos with stabilisation, Portrait mode with advanced bokeh and Depth Control, Portrait Lighting
<b>Face Detection</b>	Body and face detection
<b>HDR Mode</b>	Smart HDR
<b>Light Source</b>	True Tone quad LED flash
<b>Video Resolutions</b>	1920 x 1080 (1080p) at 30 fps, 1920 x 1080 (1080p) at 60 fps, 1280 x 720 (720p) at 30 fps, Slo-mo video 1920 x 1080 (1080p) at 120 fps, 3840 x 2160 (4K) at 30 fps, 3840 x 2160 (4K) at 60 fps, 3840 x 2160 (4K) at 24 fps, Slo-mo video 1920 x 1080 (1080p) at 240 fps
<b>Features</b>	Sapphire crystal lens cover, Cinematic video stabilisation, Focus Pixels, Zero Shutter Lag, Cinematic video stabilisation, Playback zoom, Hybrid IR filter, Exposure control, noise reduction, geotagging, LTM (Local Tone Mapping), Stereo Recording, wide colour capture for photos and Live Photos, Advanced red-eye correction, Panorama (up to 63MP)
Display	
<b>Type</b>	LCD display

Technology	Liquid Retina HD display
Diagonal Size	6.1"
Display Resolution	1792 x 828 pixels
Pixel Density	326 ppi
Max Brightness	625 cd/m²
HDR	Yes
Contrast Ratio	1400:1
Protection	Fingerprint-resistant oleophobic coating
Display Languages	Danish, Hindi, Hebrew, Hungarian, Czech, Croatian, Indonesian, Thai, Slovak, Chinese (traditional), Chinese (simplified), Vietnamese, Ukrainian, Brazilian Portuguese, English, German, French, Italian, Norwegian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Arabic, Romanian, Catalan, Japanese, Korean, Malay, UK English, US English
Features	Dolby Vision, HDR10, True Tone display, Wide colour display (P3)
Connections	
Connector Type	Lightning
Battery	
Technology	Lithium Ion
Fast Charging Technology	Apple fast charging technology
Wireless Charging	Yes
Wireless Charging Standards	Qi
Talk Time	1500 minutes
Run Time Details	Talk: up to 25 hrs Active online usage: up to 15 hrs Playback (wireless video): up to 16 hrs Playback (wireless audio): up to 65 hrs
Miscellaneous	
Compliant Standards	IEC 60529 IP67, HAC (Hearing Aid Compatible)
Included Accessories	Lightning to USB-C cable
Manufacturer Warranty	
Service & Support	Limited warranty - 1 year Technical support - consulting - 90 days
Environmental Parameters	
Max Depth of Water Resistance	1 m
Min Operating Temperature	0 °C
Max Operating Temperature	35 °C
Humidity Range Operating	5 - 95% (non-condensing)