

## Produktinformation



### Information

<i>Tillverkare</i>	Avocor
<i>Artnr</i>	AVW-6555

## Avocor AVW-6555 - 65" Diagonal Class LED display - interactive - with touchscreen (multi touch) / camera - 4K UHD (2160p) 3840 x 2160 - direct-lit LED

The world's first and only display to be Microsoft Teams certified, the AVW-6555 Windows collaboration display by Avocor enables Microsoft 365 at room scale for enhanced teamwork regardless of where your teammates might be. The Type-C single-cable connection for seamless laptop pairing (BYOD, BYOM) and Azure certified IoT advanced monitoring data to improve facilities planning, use and meeting ROI. The new collaboration displays are fully compatible with Windows 10 and offer a Type-C single-cable solution that solves the frustration and often time-consuming problem of connecting devices and people in meetings. Further, the Teams certification means the Avocor AVW-6555 is the only display in the world that can complete a certified Microsoft Teams Room and the certification also means the display, its audio and video are perfectly tuned to be seamless with Teams.

## Specifikation

### General

<b>Product Type</b>	LED-backlit LCD flat panel display
<b>Power Consumption Operational</b>	220 Watt
<b>Diagonal Class</b>	65"
<b>Commercial Use</b>	Yes - interactive
<b>Combined With</b>	Touchscreen (multi touch) / camera
<b>TV Tuner Presence</b>	No
<b>Video Interface</b>	HDMI
<b>HDMI Ports Qty</b>	2 ports
<b>PC Interface</b>	DisplayPort
<b>Modes</b>	Landscape mode
<b>Picture Enhancements</b>	30-bit Deep Colour
<b>Width</b>	156.8 cm
<b>Depth</b>	11.15 cm

<b>Height</b>	103.9 cm
<b>Weight</b>	55 kg
Display	
<b>Resolution</b>	3840 x 2160
<b>Display Format</b>	4K UHD (2160p)
<b>Image Aspect Ratio</b>	16:9
<b>LCD Backlight Technology</b>	LED backlight
<b>Coating</b>	Anti-glare
<b>Brightness</b>	370 cd/m²
<b>Viewing Angle</b>	178 degrees
<b>Viewing Angle (Vertical)</b>	178 degrees
<b>Touchpoints Qty</b>	20
<b>Features</b>	Optical bonding, anti-fingerprint
Stands & Mounts	
<b>Flat Panel Mount Interface</b>	600 x 400 mm
<b>VESA Compatibility</b>	Yes
Media Player	
<b>USB Port</b>	Yes
Remote Control	
<b>Type</b>	Remote control
Audio System	
<b>Speaker System</b>	2 speakers
<b>Output Power / Total</b>	60 Watt
<b>Speakers</b>	2 x main channel speaker - 30 Watt
Connections	
<b>Connector Type</b>	2 x HDMI DisplayPort Audio line-out 2 x LAN 3 x USB 2.0 USB 2 x USB 3.0 USB RS-232 SPDIF output
Miscellaneous	
<b>Included Accessories</b>	Stylus
<b>Cables Included</b>	USB cable HDMI cable USB-C cable USB cable
Power	
<b>Power Device</b>	Power supply
<b>Nominal Voltage</b>	AC 120/230 V (50/60 Hz)
<b>Power Consumption Stand by</b>	0.5 Watt
Manufacturer Warranty	
<b>Service &amp; Support</b>	Limited warranty - 3 years

Environmental Parameters

<b>Min Operating Temperature</b>	0 °C
<b>Max Operating Temperature</b>	40 °C
<b>Humidity Range Operating</b>	30 - 85%