

Produktinformation



Information

<i>Tillverkare</i>	Axis Communications
<i>Artnr</i>	5801-641

AXIS T8061 - PoE surge protector

AXIS T8061 Ethernet Surge Protector is a high-quality surge protection device. It shields your indoor Ethernet networks from lightning-caused surges coming through the Ethernet cable. Enclosed in a weatherproof metal enclosure with an IP66 rating, the robust AXIS T8061 is easy to mount on a wall or on a pole. Install it before the cable enters the building or immediately adjacent to a wall or pole-mounted network cameras for reliable protection.

Specifikation

General

Device Type PoE surge protector - external

Power Device

Dataline Surge Protection Ethernet 10/100/1000Base-T - 1 input line / 1 output line

Surge Suppression Yes

Max Spike Voltage 10000 V

Max Spike Current 5000 A

Miscellaneous

Features Wall mountable, pole mountable, outdoor

Compliant Standards UL 497B, IEC 60529 IP66, NEMA Type 4X, WEEE, REACH, EN 50581, EN 61643-21

Manufacturer Warranty

Service & Support Limited warranty - 3 years

Environmental Parameters

Min Operating Temperature -40 °C

Max Operating Temperature 85 °C

Humidity Range Operating 0 - 95% (non-condensing)

Dimensions & Weight

Width 19 cm

Depth 3 cm

Height
Weight

3 cm
270 g