

Produktinformation



Information



<i>Tillverkare</i>	Cisco
<i>Artnr</i>	CP-7821-W-K9=

Cisco IP Phone 7821 - VoIP phone - SIP, SRTP - 2 lines - white

Deploy reliable and highly secure voice communications with the Cisco IP Phone 7821. This full-featured phone is easy to use and easy on your budget. This endpoint supports wideband audio for superior voice communications quality and advanced IP telephony features to make your business calls more efficient and productive.

Specifikation

General

Product Type	VoIP phone
Compatible Platforms	Cisco Business Edition 6000
Body Colour	White
Image Colour Disclaimer	The displayed product image may be a different colour
Body Material	PC/ABS

Phone Features

Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold, Message Waiting Capability
Dialer Type	Keypad
Dialer Location	Base
Conference Call Capability	Yes
Speakerphone	Yes (digital duplex)
Menu Operation	Yes
Programmable Buttons Qty	2
Indicators	Voice message waiting indicator, speakerphone indicator, headset
Firmware Upgradable	Yes
Additional Functions	Call timer
Additional Features	Music on hold

IP Telephony

Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP	Yes
VoIP Protocols	SIP, SRTP
Voice Codecs	G.722, G.729a, G.711u, G.711a, iLBC
Lines Supported	2 lines
Quality of Service	IEEE 802.1Q (VLAN), IEEE 802.1p
IP Address Assignment	DHCP, static
Security	IEEE 802.1X
Power Over Ethernet (PoE) Support	Yes
Network Protocols	Cisco Discovery Protocol (CDP), SRTP
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX
Compatible Software	Cisco Unified Communications Manager 8.5.1 or later, Cisco Hosted Collaboration Solution
Network Features	Lightweight Directory Access Protocol (LDAP)
Display	
Type	LCD display - monochrome
Display Location	Base
Diagonal Size	3.5"
Display Resolution	396 x 162 pixels
Backlit	Yes
Display Languages	Danish, Hebrew, Hungarian, Czech, Croatian, Slovenian, Thai, Slovak, Brazilian Portuguese, English, German, French, Italian, Norwegian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Arabic, Bulgarian, Latvian, Lithuanian, Estonian, Serbian, Romanian, Catalan, Japanese, Chinese, Korean
Miscellaneous	
Connections	Headset jack
Placing / Mounting	Wall-mountable, table-top
Compliant Standards	CISPR 22 Class B, CISPR 24, EN 61000-3-2, EN 61000-3-3, EN55024, EN55022 Class B, ICES-003 Class B, AS/ACIF S004, FCC Part 68, EMC, CS-03, UL 60950-1 Second Edition, EN 60601-1-2, FCC CFR47 Part 15 B, GB 4943, AS/NZS 60950, CSA C22.2 No. 60950-1 Second Edition, EN 60950-1 Second Edition, IEC 60950-1 Second Edition, VCCI Class B
Dimensions & Weight (Base)	
Width	20.6 cm
Depth	2.8 cm
Height	20.7 cm
Weight	867 g
Manufacturer Warranty	

Service & Support

Limited warranty - replacement - 1 year