

Produktinformation



Information



<i>Tillverkare</i>	Cisco
<i>Artnr</i>	CP-8811-K9=

Cisco IP Phone 8811 - VoIP phone - SIP, RTCP, RTP, SRTP, SDP - 5 lines

The Cisco IP Phone 8811 is a cost-effective, business-class collaboration endpoint that delivers high-fidelity, reliable, secure and scalable voice communications for midsize to large enterprise businesses. With the Cisco IP Phone 8811, you can increase personal productivity through an engaging user experience that is both powerful and easy-to-use. The IP Phone 8811 combines an attractive ergonomic design with wideband audio for crystal clear voice communications, "always-on" reliability, encrypted voice communications to enhance security and access to a comprehensive suite of unified communications features from Cisco communication servers. The Cisco IP Phone 8811 supports five programmable line keys. You can configure keys to support either multiple directory numbers or calling features such as speed dial. You can also boost productivity by handling multiple calls for each directory number, using the multicall-per-line feature. Fixed-function keys give you one-touch access to applications, messaging, directory, as well as often-used calling features such as hold/resume, transfer, and conference. Backlit acoustic keys provide flexibility for audio path selection and switching. The Cisco IP Phone 8811 offers a 5-in. high-resolution (800 x 480) widescreen backlit grayscale display. Localized language support, including right-to-left on-screen text, meets the needs of global users. The phone supports a built-in Gigabit Ethernet switch for your PC connection.

Specifikation

General

Product Type	VoIP phone
Compatible Platforms	Cisco Business Edition 6000
Body Material	ABS plastic

Phone Features

Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold, Message Waiting Capability
Dialer Type	Keypad
Dialer Location	Base
Conference Call Capability	Yes
Intercom	Yes
Speakerphone	Yes (digital duplex)

Menu Operation	Yes
Programmable Buttons Qty	5
Indicators	Voice message waiting indicator, speakerphone indicator, headset
Firmware Upgradable	Yes
Additional Functions	Call timer, Intercom
Additional Features	Music on hold, BLF status lamps
IP Telephony	
Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP	Yes
VoIP Protocols	SIP, RTCP, RTP, SRTP, SDP
Voice Codecs	G.722, G.729a, G.711u, G.711a, iLBC, iSAC
Lines Supported	5 lines
Quality of Service	IEEE 802.1Q (VLAN), IEEE 802.1p
Security	IEEE 802.1X, TLS
Power Over Ethernet (PoE) Support	Yes
Network Protocols	IP, TFTP, UDP, Cisco Discovery Protocol (CDP), HTTP, DNS, HTTPS, SRTP, Link Layer Discovery Protocol - Media Endpoint Discovery (LLDP-MED), RTCP, RTP
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX/1000Base-T
Compatible Software	Cisco Unified Communications Manager 8.5.1 or later, Cisco Hosted Collaboration Solution, Cisco Unified Communications Manager Express 10.0 or later
Network Features	Class 2 PoE
Display	
Type	LCD display - monochrome
Display Location	Base
Diagonal Size	5"
Display Resolution	800 x 480 pixels
Backlit	Yes
Display Languages	Danish, Hebrew, Hungarian, Czech, Croatian, Slovenian, Thai, Slovak, Brazilian Portuguese, English, German, French, Italian, Norwegian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Arabic, Bulgarian, Latvian, Lithuanian, Estonian, Serbian, Romanian, Catalan, Japanese, Chinese, Korean
Miscellaneous	
Connections	Headset jack / RJ-9 Electronic hook switch (EHS)
Hearing Aid Compatible	Yes
Placing / Mounting	Wall-mountable, table mount
Compliant Standards	ADA, HAC (Hearing Aid Compatible)

Dimensions & Weight (Base)

Width	25.734 cm
Depth	4 cm
Height	22.91 cm
Weight	1.17 kg

Manufacturer Warranty

Service & Support	Limited warranty - replacement - 1 year
-------------------	---