

Produktinformation



Information



<i>Tillverkare</i>	Cisco
<i>Artnr</i>	CP-8861-K9=

Cisco IP Phone 8861 - VoIP phone - IEEE 802.11a/b/g/n/ac (Wi-Fi) - SIP, RTP, SDP - 5 lines - charcoal

The Cisco IP Phone 8861 is a business-class collaboration endpoint that combines high-fidelity, reliable, secure, and scalable voice communications with Cisco Intelligent Proximity for telephony integration for personal mobile devices to support midsize to large enterprise businesses. With the IP Phone 8861, you can increase personal productivity through an engaging user experience that is both powerful and easy-to-use. The IP Phone 8861 combines an attractive ergonomic design with wideband audio for crystal clear voice communications, "always-on" reliability, and encrypted voice communications to enhance security, and access to a comprehensive suite of unified communications features from Cisco communication servers. In addition, Cisco Intelligent Proximity brings the worlds of desk and mobile together for you when you are using your mobile device at the desk for your work. You can move the audio path over to the IP Phone 8861 during active mobile calls to take advantage of its superior audio acoustics. An example would be to share a conversation with a colleague who you want to listen in. This capability gives you greater flexibility and a superior user experience when at your desk. The IP Phone 8861 comes standard with two USB ports so you can charge your personal mobile devices when at your desk, and stay connected when away from your desk. The Cisco IP Phone 8861 offers five programmable line keys. You can configure keys to support either multiple directory numbers or calling features such as speed dial. You can also boost productivity by handling multiple calls for each directory number using the multicall-per-line feature. Fixed-function keys give you one-touch access to applications, messaging, directory, as well as often-used calling features such as hold/resume, transfer, and conference. A five-way navigation cluster helps you transition through menus more easily. Backlit acoustic keys provide flexibility for audio path selection and switching.

Specifikation

General

Product Type	VoIP phone
Compatible Platforms	Cisco Business Edition 6000
Body Colour	Charcoal
Body Material	ABS plastic

Phone Features

Cordless Phone Standard	IEEE 802.11a/b/g/n/ac (Wi-Fi)
Wireless Interface Provided	Bluetooth
Bluetooth Profiles	Hands-Free Profile (HFP), Phonebook Access Profile (PBAP)

Call Services	Voice Mail, Caller ID, Call Waiting, Call Transfer, Call Hold, Message Waiting Capability
Key Expansion Module Max Qty	3
Dialer Type	Keypad
Dialer Location	Base
Conference Call Capability	Yes
Intercom	Yes
Speakerphone	Yes (digital duplex)
Menu Operation	Yes
Programmable Buttons Qty	5
Indicators	Voice message waiting indicator, speakerphone indicator, headset
Firmware Upgradable	Yes
Additional Functions	Call timer, Intercom
Additional Features	Music on hold, BLF status lamps, compatible with Bluetooth headsets

IP Telephony

Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP	Yes
VoIP Protocols	SIP, RTP, SDP
Voice Codecs	G.722, G.729a, G.711u, G.711a, iLBC, iSAC
Lines Supported	5 lines
Quality of Service	IEEE 802.1Q (VLAN), IEEE 802.1p
IP Address Assignment	DHCP
Security	128-bit WEP, 40 bit WEP, WPA, TKIP, WPA2, IEEE 802.1X, TLS
Power Over Ethernet (PoE) Support	Yes
Network Protocols	IP, TFTP, UDP, Cisco Discovery Protocol (CDP), DNS, HTTPS, SRTP, Link Layer Discovery Protocol - Media Endpoint Discovery (LLDP-MED), RTCP, RTP, GARP
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX/1000Base-T
Compatible Software	Cisco Unified Communications Manager 8.5.1 or later, Cisco Hosted Collaboration Solution, Cisco Unified Communications Manager Express 10.0 or later
Network Features	Class 4 PoE

Display

Type	LCD display - colour
Display Location	Base
Diagonal Size	5"
Display Resolution	800 x 480 pixels
Colour Depth	24-bit (16.7 million colours)

Backlit	Yes
Display Languages	Danish, Hebrew, Hungarian, Czech, Croatian, Slovenian, Thai, Slovak, Brazilian Portuguese, English, German, French, Italian, Norwegian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Arabic, Bulgarian, Latvian, Lithuanian, Estonian, Serbian, Romanian, Catalan, Japanese, Chinese, Korean
Miscellaneous	
Connections	Headset jack / RJ-9 Electronic hook switch (EHS) 2 x USB Audio line in/out / mini-phone 3.5mm
Hearing Aid Compatible	Yes
Placing / Mounting	Wall-mountable, table mount
Compliant Standards	CISPR 22 Class B, CISPR 24, EN 61000-3-2, EN 61000-3-3, EN55024, EN55022 Class B, ICES-003 Class B, AS/ACIF S004, RSS-210, RSS-102, FCC Part 68, ADA, CS-03, UL 60950-1 Second Edition, EN 60601-1-2, FCC CFR47 Part 15 B, GB 4943, AS/NZS 60950, CSA C22.2 No. 60950-1 Second Edition, EN 60950-1 Second Edition, IEC 60950-1 Second Edition, EN 300 328, EN 301 489-1, EN 301 489-17
Dimensions & Weight (Base)	
Width	25.734 cm
Depth	4 cm
Height	22.91 cm
Weight	1.19 kg
Manufacturer Warranty	
Service & Support	Limited warranty - replacement - 1 year