

Produktinformation



Information



Tillverkare

Cisco

Artnr

XENPAK-10GB-LR-REF

Cisco 10GBASE XENPAK - XENPAK transceiver module - 10 GigE - 10GBase-LR - SC/PC single-mode - up to 10 km - 1310 nm - for P/N: 4-10GE, 4-10GE=, 8-10GBE, 8-10GBE=, 8-10GBE-RF, WS-SUP32-10GE-3B, WS-SUP32-10GE-3B-RF

The range of Cisco 10GBASE XENPAK modules offers a wide variety of 10 Gigabit Ethernet connectivity options for data center, enterprise wiring closet, and service provider transport applications.

Specifikation

General

Status	R4
Device Type	XENPAK transceiver module
Form Factor	Plug-in module

Networking

Connectivity Technology	Wired
Cabling Type	10GBase-LR
Data Link Protocol	10 GigE
Data Transfer Rate	10 Gbps
Optical Wave Length	1310 nm
Max Transfer Distance	10 km
Compliant Standards	IEEE 802.3ae

Expansion / Connectivity

Interfaces	1 x Ethernet 10GBase-LR - SC/PC single-mode x 2
Compatible Slots	1 x XENPAK

Miscellaneous

Compliant Standards Laser Class 1, IEC 60825-1

Dimensions & Weight

Width 3.6 cm
Depth 12.1 cm
Height 1.8 cm
Weight 300 g

Environmental Parameters

Min Operating Temperature 0 °C
Max Operating Temperature 40 °C

Compatibility Information

Designed For P/N: 4-10GE, 4-10GE=, 8-10GBE, 8-10GBE=, 8-10GBE-RF, WS-SUP32-10GE-3B, WS-SUP32-10GE-3B=, WS-SUP32-10GE-3B-RF, WS-X6704-10GE, WS-X6704-10GE=, WS-X6704-10GE-RF