

Produktinformation



Information

<i>Tillverkare</i>	Datalogic
<i>Artnr</i>	945550011

Datalogic Falcon X4 - data collection terminal - Win Embedded Compact 7 - 8 GB - 3.5"

The Falcon X4 mobile computer is ideal for retail, logistics, and many other applications requiring an extremely rugged and reliable mobile computer with keyboard.

Specifikation

General

Product Type	Data collection terminal - rugged
Operating System	Microsoft Windows Embedded Compact 7

Display

Type	3.5" colour TFT (reflective)
Resolution	240 x 320
Colour Depth	65K colours (16-bit)
Features	Daylight Mode

Processor

Processor	Texas Instruments OMAP 4
Processor Clock Speed	1 GHz

Memory

Storage	8 GB
RAM	1 GB
Supported Flash Memory Cards	microSD, microSDHC
Max Supported Capacity	32 GB

Communications

Wireless Connectivity	802.11a/b/g/n, Bluetooth 2.1 EDR
Security Protocols & Features	CCXv4

Multimedia

Audio	Microphone, speaker
Input Device	
Type	Touch-screen, backlit keyboard
Keys Qty	29
Barcodes	
Barcode Reader	Yes
Scan Element Type	2D imager
Barcodes	GS1 DataBar, QR code, MaxiCode, Aztec code, MicroPDF417, Postnet, PDF417, Data Matrix, PLANET, Australian Post, Japanese Post, Kix (Netherlands) Post, Royal Mail, Micro QR code, GS1 DataBar Composites, Intelligent Mail Barcode, USPS 4-state (US4CB), GS1-128 Composites
Max Working Distance	74 cm
Minimum Bar Width	3 mil
Software	
Preloaded Software	Datalogic Android SDK, Xamarin SDK, 42 Gears SureLock, Stay-Linked SmartTE, Datalogic xPlatform Utility
Expansion and Connectivity	
Expansion Slots	1 x microSD
Interfaces	1 x USB 1 x serial RS-232
USB Host	Yes
Battery	
Technology	Lithium Ion
Capacity	5200 mAh
Miscellaneous	
Features	Shock-resistant, Green Spot technology, hot-swappable battery, drop-resistant, MIMO technology
Included Accessories	Pistol grip handle
Compliant Standards	CCX V4, EN 60825-1, IP65, 21 CFR 1040, IEC/EN 62471, EU RoHS
Localisation	Europe
Dimensions & Weight	
Width	8.8 cm
Depth	16.8 cm
Height	22.5 cm
Weight	668 g
Manufacturer Warranty	
Service & Support	Limited warranty - 1 year
Environmental Parameters	

Min Operating Temperature	-20 °C
Max Operating Temperature	50 °C
Min Storage Temperature	-30 °C
Max Storage Temperature	70 °C