

Produktinformation



Dell Wyse 5070 - DTS - Celeron J4105 1.5 GHz - 4 GB - flash 16 GB

Information



<i>Tillverkare</i>	Dell
<i>Artnr</i>	7HDXJ

Wyse thin clients are built for easy integration into your VDI or web-based environment with instant, hands-free operation and performance that meets demands.

Specifikation

General

Type	Thin client
Bundled Services	3 Years Dell Collect and Return Service
Product Form Factor	Desktop slimline
Built-in Devices	Speaker
Colour	Black

Processor / Chipset

CPU	Intel Celeron J4105 / 1.5 GHz
Max Turbo Speed	2.5 GHz
Number of Cores	Quad-Core
CPU Qty	1
Max CPU Qty	1
Processor Main Features	Intel Burst Technology

Cache Memory

Installed Size	4 MB
Cache Per Processor	4 MB

RAM

Installed Size	4 GB / 8 GB (max)
Technology	DDR4 SDRAM
Form Factor	SO-DIMM 260-pin

Slots	2 (Total)
Hard Drive	
Type	Flash - eMMC
Capacity	1 x 16 GB
Optical Storage	
Type	No optical drive
Monitor	
Monitor Type	None.
Graphics Controller	
Graphics Processor	Intel UHD Graphics 600
Video Interfaces	DisplayPort
Input Device	
Type	Mouse (on selected markets only)
Mouse	
Technology	Optical
Interface	USB
Networking	
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet
Features	Wake on LAN (WoL)
Expansion / Connectivity	
Interfaces	1 x USB 2.0 (1 in front) 1 x USB 2.0 (1 in front) (powered) 1 x USB-C 3.1 (1 in front) (powered) 1 x USB 3.0 (powered) 1 x USB 3.1 (1 in front) 3 x USB 3.0 1 x headphones/microphone (1 in front) 1 x audio line-out (1 in front) 1 x LAN (Gigabit Ethernet) 2 x DisplayPort 1 x serial
Miscellaneous	
Included Accessories	Vertical stand
Theft/Intrusion Protection	Security lock slot (cable lock sold separately)
Security Slot Type	Kensington security slot
Compliant Standards	RoHS, WEEE, DisplayPort 1.2a
Pricing Type	Build To Plan (BTP)
Power	
Device Type	Power adapter
Nominal Voltage	AC 120/230 V (50/60 Hz)
Power Provided	65 Watt
Operating System / Software	
OS Provided	Wyse Thin OS
Environmental Standards	

ENERGY STAR Certified Yes

ENERGY STAR Version 6.1

Dimensions & Weight

Width 3.56 cm

Depth 18.4 cm

Height 18.4 cm

Weight 1.2 kg

Environmental Parameters

Min Operating Temperature 0 °C

Max Operating Temperature 40 °C

Humidity Range Operating 20 - 80%