

Produktinformation



Dell C7520QT - 75" Diagonal Class (74.52" viewable) LED display - interactive - with touchscreen (multi touch) - 4K UHD (2160p) 3840 x 2160 - with 3 years Advanced Exchange

Information



<i>Tillverkare</i>	Dell
<i>Artnr</i>	C7520QT

Keep your audience engaged with a large 4K interactive touch display, designed for seamless collaboration. See brilliant images in 4K resolution and experience consistent colors across the screen from virtually anywhere in the room, thanks to the wide viewing angle enabled by IPS technology. Anti-glare and anti-smudge coatings reduce distracting reflections and fingerprints for consistent clarity. Group collaboration is intuitive and effortless with up to twenty points of touch interactivity. Write or draw in real time with your fingers or stylus, and erase written content with the palm of your hand - with virtually zero lag. Experience natural and intuitive touch functionality that is compatible with most industry-standard software. Dell ComfortView reduces blue light emissions to help optimize eye comfort over extended viewing periods.

Specifikation

General

Product Type	LED-backlit LCD flat panel display
Power Consumption Operational	270 Watt
Diagonal Class	75"
Diagonal Size	74.52"
Commercial Use	Yes - interactive
Bundled with	3 years Advanced Exchange
Combined With	Touchscreen (multi touch)
TV Tuner	No tuner
TV Tuner Presence	No
Video Interface	HDMI
HDMI Ports Qty	3 ports
PC Interface	VGA (HD-15), DisplayPort
Picture Enhancements	72% Color Gamut (CIE 1931)

Dimensions	Without stand
Width	173.5 cm
Depth	7.91 cm
Height	101.74 cm
Display	
LCD Display Technology	IPS
Resolution	3840 x 2160
Display Format	4K UHD (2160p)
Image Aspect Ratio	16:9
LCD Backlight Technology	LED backlight
Coating	Anti-glare, 9H Hard
Image Contrast Ratio	1200:1
Brightness	350 cd/m²
Viewing Angle	178 degrees
Viewing Angle (Vertical)	178 degrees
Touchpoints Qty	20
Response Time	8 ms
Features	Flatfrog InGlass Touch Technology, 0.429 mm pixel pitch
Stands & Mounts	
Flat Panel Mount Interface	400 x 400 mm
VESA Compatibility	Yes
Media Player	
USB Port	Yes
Remote Control	
Type	Remote control
Audio System	
Speaker System	2 speakers
Output Power / Total	40 Watt
Speakers	2 x speaker - 20 Watt
Connections	
Connector Type	DisplayPort VGA input 3 x HDMI input Network 3 x USB 3.0 downstream Audio line-in Serial Audio line-out 3 x USB 3.0 upstream USB (power only)
Miscellaneous	
Included Accessories	2 styluses, cable holder, 3 cable clips
Cables Included	USB cable DisplayPort cable HDMI cable VGA cable
Compliant Standards	UL, RoHS

Environmental Standards

ENERGY STAR Certified	Yes
ENERGY STAR Version	7.1

Power

Nominal Voltage	AC 120/230 V (50/60 Hz)
Power Consumption Stand by	0.3 Watt
Power Consumption Sleep	0.3 Watt

Dimensions & Weight (Shipping)

Weight (Shipping)	76 kg
--------------------------	-------

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80% (non-condensing)