

Produktinformation



Dell P2219H - without stand - LED monitor - Full HD (1080p) - 22"

Information



<i>Tillverkare</i>	Dell
<i>Artnr</i>	DELL-P2219HWOS

Optimize your workspace with this efficient 21.5" monitor built with an ultrathin bezel design, a small footprint and comfort-enhancing features. Take advantage of additional desk space and multitasking features. Increase your productivity by up to 18% when working on dual monitors. Focus on your work with an adjustable setup featuring cable organization and go easy on the eyes with ComfortView.

Specifikation

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class A
Energy Consumption per Year	28 kWh
Power Consumption (On mode)	19 W
Diagonal Size	22"
Viewable Size	21.5"
Built-in Devices	USB 3.0 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.248 mm
Pixel Per Inch	102
Brightness	250 cd/m ²
Contrast Ratio	1000:1
Colour Support	16.7 million colours
Response Time	8 ms (normal); 5 ms (fast)
Vertical Refresh Rate	50 - 76 Hz
Horizontal Refresh Rate	30 - 83 kHz

Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	LED backlight
OSD Languages	Chinese (simplified), Brazilian Portuguese, English, German, French, Russian, Spanish, Japanese
Bezel Type	Flat front
Features	72% (CIE 1931) colour gamut, LED edgelight system, Dell Custom Color, Flicker Free technology, BFR/PVC-free, Mercury free, Dell ComfortView, arsenic free
Dimensions (WxDxH)	48.73 cm x 4.13 cm x 29.34 cm - without stand
Weight	2.75 kg
Connectivity	
Interfaces	DisplayPort VGA HDMI USB 3.0 upstream (Type B) 2 x USB 3.0 downstream (Type A) 2 x USB 2.0 downstream (Type A)
Mechanical	
VESA Mounting Interface	100 x 100 mm
Miscellaneous	
Features	Security lock slot (cable lock sold separately), LED indicator, VESA interface support
Cables Included	1 x DisplayPort cable - DisplayPort to DisplayPort 1 x SuperSpeed USB cable
Compliant Standards	Plug and Play, DDC/CI, RoHS, EDID compatible, DisplayPort 1.2
Security Slot Type	Kensington security slot
Power	
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	17 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt
Software / System Requirements	
Included Software	Dell Display Manager
Dimensions & Weight (Shipping)	
Shipping Weight	4.64 kg
Environmental Standards	
TCO Certified	TCO Certified Displays 8
ENERGY STAR Certified	Yes
Manufacturer Warranty	
Bundled Services	3-Years Advanced Exchange Service and Premium Panel Guarantee

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80% (non-condensing)