

Produktinformation



Dell UltraSharp U2520D - LED monitor - 25"

Information



Tillverkare

Dell

Artnr

DELL-U2520D

Experience true color reproduction on this 25" QHD monitor a wide color coverage.

Specifikation

General

| | |
|---------------------------------|---|
| Display Type | LED-backlit LCD monitor / TFT active matrix |
| Diagonal Size | 25" |
| Viewable Size | 25" |
| Panel Type | IPS |
| Aspect Ratio | 16:9 |
| Native Resolution | QHD 2560 x 1440 at 60 Hz |
| Pixel Pitch | 0.216 mm |
| Pixel Per Inch | 117.5 |
| Brightness | 350 cd/m ² |
| Contrast Ratio | 1000:1 |
| Colour Support | 16.8 million colours |
| Response Time | 8 ms (grey-to-grey normal); 5 ms (grey-to-grey fast) |
| Horizontal Viewing Angle | 178 |
| Vertical Viewing Angle | 178 |
| Screen Coating | Anti-glare, 3H Hard Coating |
| Backlight Technology | WLED |
| Bezel Type | Flat front |
| Features | LED edgelight system, 99% sRGB colour gamut, 99% Rec 709 colour gamut, DCI-P3 95% colour gamut, Delta E<2 calibration |
| Dimensions (WxDxH) | 56.77 cm x 18.5 cm x 38.29 cm - with stand |

| | |
|--|---|
| Weight | 6.4 kg |
| Connectivity | |
| Interfaces | DisplayPort (DisplayPort 1.4 mode) DisplayPort output (MST) HDMI USB-C (power up to 90W) 2 x USB 3.0 downstream USB 3.0 downstream with Battery Charging 1.2 USB-C downstream Audio line-out |
| Mechanical | |
| Display Position Adjustments | Height, pivot (rotation), swivel, tilt |
| Tilt Angle | -5/+21 |
| Swivel Angle | 90 |
| Rotation Angle | 180 |
| Height Adjustment | 130 mm |
| VESA Mounting Interface | 100 x 100 mm |
| Miscellaneous | |
| Features | Security lock slot (cable lock sold separately), VESA interface support, anti-theft protection |
| Cables Included | 1 x USB-C cable 1 x HDMI cable 1 x USB-C to USB-A cable |
| Compliant Standards | RoHS, BFR-free, PVC-free, Mercury-free |
| Power | |
| Voltage Required | AC 120/230 V (50/60 Hz) |
| Power Consumption Operational | 24 Watt |
| Power Consumption Stand by | 0.3 Watt |
| Power Consumption Sleep | 0.3 Watt |
| Software / System Requirements | |
| Included Software | Dell Display Manager |
| Dimensions & Weight | |
| Dimensions & Weight Details | With stand - width: 56.77 cm - depth: 18.5 cm - height: 38.29 cm - weight: 6.4 kg Without stand - width: 56.77 cm - depth: 4.99 cm - height: 33.21 cm - weight: 4.2 kg |
| Dimensions & Weight (Shipping) | |
| Shipping Weight | 8.8 kg |
| Environmental Standards | |
| TCO Certified | TCO Certified Displays 8 |
| ENERGY STAR Certified | Yes |
| Manufacturer Warranty | |
| Bundled Services | 3 years Advanced Exchange Service |
| Environmental Parameters | |
| Min Operating Temperature | 0 °C |

| | |
|---------------------------|---------------------------|
| Max Operating Temperature | 40 °C |
| Humidity Range Operating | 10 - 80% (non-condensing) |