

## Produktinformation



### Information



Tillverkare

Eizo

Artnr

EV2760-WT

## EIZO FlexScan EV2760-WT - LED monitor - 27"

The EV2760 uses a 27-inch IPS panel with WQHD (2560 x 1440) resolution, which offers 78% more pixels than conventional full HD (1920 x 1080) monitors. You can easily open multiple windows on the screen for efficient multi-tasking.

## Specifikation

### General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class A+
Energy Consumption per Year	25 kWh
Power Consumption (On mode)	17 W
Diagonal Size	27"
Viewable Size	27"
Built-in Devices	Speaker
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	2K QHD 2560 x 1440
Pixel Per Inch	109
Brightness	350 cd/m <sup>2</sup>
Contrast Ratio	1000:1
Colour Support	16.8 million colours
Response Time	5 ms (grey-to-grey)
Vertical Refresh Rate	59 - 61 Hz
Horizontal Refresh Rate	31 - 89 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178

<b>Backlight Technology</b>	LED backlight
<b>OSD Languages</b>	Chinese (traditional), Chinese (simplified), English, German, French, Italian, Swedish, Spanish, Japanese
<b>Bezel Type</b>	Flat front
<b>Features</b>	Auto EcoView, Flicker Free technology
<b>Colour</b>	White
<b>Dimensions (WxDxH)</b>	61.17 cm x 5.37 cm x 36.44 cm - without stand
<b>Weight</b>	5.7 kg
Audio	
<b>Type</b>	Speakers
<b>Output Power / Channel</b>	1 Watt
Connectivity	
<b>Interfaces</b>	2 x DisplayPort (HDCP) HDMI (HDCP) DVI-D (HDCP) USB 3.1 Gen 1 upstream (Type B) 4 x USB 3.1 Gen 1 downstream (Type A) Headphones (mini-jack) Audio line-in (mini-jack)
Mechanical	
<b>Display Position Adjustments</b>	Pivot (rotation), swivel, tilt
<b>Tilt Angle</b>	-5/+35
<b>Swivel Angle</b>	344
<b>Rotation Angle</b>	180
<b>Height Adjustment</b>	169 mm
<b>VESA Mounting Interface</b>	100 x 100 mm
Miscellaneous	
<b>Included Accessories</b>	Screws
<b>Cables Included</b>	1 x DisplayPort cable 1 x USB cable
<b>Compliant Standards</b>	TUV GS, CB, CCC, TUV Ergo, RoHS, WEEE, PSE Mark, cTUVus, EPA, VCCI Class B, EAC, RCM, CE/EMC
Power	
<b>Voltage Required</b>	AC 120/230 V (50/60 Hz)
<b>Power Consumption Operational</b>	16 Watt
<b>Power Consumption Stand by</b>	0.5 Watt
<b>Power Consumption (Off Mode)</b>	0.5 Watt
<b>On / Off Switch</b>	Yes
Dimensions & Weight	
<b>Dimensions &amp; Weight Details</b>	With stand - width: 61.17 cm - depth: 23 cm - height: 62.33 cm - weight: 8.5 kg Without stand - width: 61.17 cm - depth: 5.37 cm - height: 36.44 cm - weight: 5.7 kg
Environmental Standards	

<b>ENERGY STAR Certified</b>	Yes
Manufacturer Warranty	
<b>Service &amp; Support</b>	Limited warranty - 5 years Limited warranty - LCD panel - 6 months
Environmental Parameters	
<b>Min Operating Temperature</b>	5 °C
<b>Max Operating Temperature</b>	35 °C
<b>Humidity Range Operating</b>	20 - 80% (non-condensing)