

Produktinformation



EIZO FlexScan EV2780-WT - LED monitor - 27"

Information



Tillverkare Eizo
Artnr EV2780-WT

The generous 27-inch screen is flush with the 1 mm bezels for a completely flat surface from corner to corner. Additionally the internal power unit and USB Type-C connectivity reduces the need for excessive cables.

Specifikation

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class A
Energy Consumption per Year	42 kWh
Power Consumption (On mode)	29 W
Diagonal Size	27"
Built-in Devices	USB 3.1 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	2560 x 1440
Pixel Pitch	0.233 mm
Brightness	350 cd/m ²
Contrast Ratio	1000:1
Colour Support	16.8 million colours
Response Time	5 ms (grey-to-grey)
Vertical Refresh Rate	29 - 61 Hz
Horizontal Refresh Rate	31 - 89 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Backlight Technology	LED backlight
OSD Languages	Chinese (traditional), Chinese (simplified), English, German, French, Italian, Swedish, Spanish, Japanese

Features	Picture by picture, ClearView, HDCP, Auto Brightness Control, FlexStand, Flicker Free technology, blue light reduction, colour adjustment mode, Ultra Slim Design Bezel
Colour	White
Dimensions (WxDxH)	61.16 cm x 24.5 cm x 39.02 cm - with stand
Weight	8.1 kg
Audio	
Type	Speakers - stereo
Output Power / Channel	1 Watt
Connectivity	
Interfaces	HDMI (HDCP) DisplayPort (HDCP) USB-C downstream (HDCP) 2 x USB 3.1 upstream (Type A) Headphones (mini-jack)
Mechanical	
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+35
Swivel Angle	344
Rotation Angle	180
Height Adjustment	155 mm
VESA Mounting Interface	100 x 100 mm
Miscellaneous	
Features	Volume control
Cables Included	1 x USB-C cable - USB-C
Compliant Standards	FCC Class B certified, TUV GS, DVI DMPM, TUV S, VESA DPMS, CB, CCC, TUV Ergo, RoHS, WEEE, cTUVus, EPA, VCCI Class B, EAC, China RoHS, RCM, CAN ICES-3 Class B, TUV Rheinland, DisplayPort 1.1a
Power	
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	23 Watt
Power Consumption Stand by	0.5 Watt
Power Consumption (Off Mode)	0.5 Watt
Software / System Requirements	
Included Software	EIZO Screen InStyle
Dimensions & Weight	
Dimensions & Weight Details	With stand - width: 61.16 cm - depth: 24.5 cm - height: 39.02 cm - weight: 8.1 kg Without stand - width: 61.16 cm - depth: 4.85 cm - height: 35.9 cm - weight: 5.3 kg
Environmental Standards	
ENERGY STAR Certified	Yes

Manufacturer Warranty

Service & Support

Limited warranty - 5 years

Environmental Parameters

Min Operating Temperature

5 °C

Max Operating Temperature

35 °C

Humidity Range Operating

20 - 80% (non-condensing)