

Produktinformation



Information

<i>Tillverkare</i>	Elo Touch Solutions
<i>Artnr</i>	E683396

Elo 1302L - LCD monitor - Full HD (1080p) - 13.3"

The Elo 1302L touchscreen monitor is designed with seamless style. With a compact form factor and clean design for easy integration, the 1302L offers the flexibility to install as a traditional POS terminal or a customer facing point of interaction - making it well-suited for point-of-sale, self-service, signage and hospitality applications.

Specifikation

General

Display Type	LCD monitor / TFT active matrix
Energy Class	Class A
Energy Consumption per Year	15 kWh
Power Consumption (On mode)	10 W
Diagonal Size	13.3"
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Brightness	300 cd/m ²
Brightness w/touchscreen	270 cd/m ²
Contrast Ratio	800:1
Colour Support	16.7 million colours
Response Time	25 ms
Vertical Refresh Rate	60 Hz
Horizontal Refresh Rate	30 - 75 kHz
Horizontal Viewing Angle	+85 / -85
Vertical Viewing Angle	+85 / -85
Screen Coating	Anti-glare
OSD Languages	Chinese (traditional), Chinese (simplified), English, German, French, Italian, Spanish, Japanese

Bezel Type	Flat front
Features	TouchPro technology
Colour	White
Dimensions (WxDxH)	32.606 cm x 15 cm x 25.957 cm - with stand
Weight	2.32 kg
Audio	
Type	Speakers - stereo
Output Power / Channel	2 Watt
Input	
Type	Touch-screen - touchscreen
Movement Detection Technology	Projected capacitive
Connectivity	
Interfaces	HDMI VGA Audio line-out (mini-jack) USB-C 4 x Micro-USB
Mechanical	
VESA Mounting Interface	75 x 75 mm
Miscellaneous	
Included Accessories	2 screws, 3 tie wraps
Cables Included	1 x USB-C to USB-A cable 1 x HDMI cable
Compliant Standards	VCCI, BSMI, cUL, NOM, CB, CCC, IC, FCC, RoHS, KCC, WEEE, REACH, IPX1, China RoHS, RCM
Localisation	Worldwide
Power	
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	10 Watt
Power Consumption Stand by	0.45 Watt
Power Consumption (Off Mode)	0.2 Watt
Dimensions & Weight	
Dimensions & Weight Details	With stand - width: 32.606 cm - depth: 15 cm - height: 25.957 cm - weight: 2.32 kg Without stand - width: 32.606 cm - depth: 2.505 cm - height: 21.13 cm - weight: 1.22 kg
Dimensions & Weight (Shipping)	
Shipping Width	33.3 cm
Shipping Depth	41.5 cm
Shipping Height	22 cm
Shipping Weight	4.62 kg
Manufacturer Warranty	
Service & Support	Limited warranty - 3 years

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80%