

## Produktinformation



## HP t530 - tower - GX-215JJ 1.5 GHz - 4 GB - 8 GB

### Information



Tillverkare	HP
Artnr	2DH77AT-D1

With a modern, new look and a small size, the HP t530 has raised the stakes for thin client design. Multiple deployment options allow this thin client to fit into any workspace.

## Specifikation

### General

Status	D1
Type	Thin client
Product Form Factor	Tower
Embedded Security	Trusted Platform Module (TPM 2.0) Security Chip

### Processor / Chipset

CPU	AMD GX-215JJ 1.5 GHz
Max Turbo Speed	2 GHz
Number of Cores	Dual-Core
CPU Qty	1
Max CPU Qty	1
CPU Upgradability	Not upgradable
Processor Main Features	AMD Turbo CORE Technology

### Cache Memory

Installed Size	L2 Cache - 1 MB
Cache Per Processor	1 MB

### RAM

Installed Size	4 GB / 16 GB (max)
Technology	DDR4 SDRAM - non-ECC
Effective Memory Speed	1866 MHz

<b>Rated Memory Speed</b>	1866 MHz
<b>Form Factor</b>	SO-DIMM 260-pin
<b>Slots</b>	1 (Total) / 0 (empty)
<b>Features</b>	Unbuffered
<b>Configuration Features</b>	1 x 4 GB

#### Hard Drive

<b>Type</b>	Flash - M.2
<b>Capacity</b>	1 x 8 GB

#### Optical Storage

<b>Type</b>	No optical drive
-------------	------------------

#### Monitor

<b>Monitor Type</b>	None.
---------------------	-------

#### Graphics Controller

<b>Graphics Processor</b>	AMD Radeon R2E
---------------------------	----------------

#### Input Device

<b>Type</b>	Mouse, keyboard
-------------	-----------------

#### Keyboard

<b>Keyboard Name</b>	HP Business Slim Keyboard
<b>Interface</b>	USB

#### Mouse

<b>Technology</b>	Optical
<b>Interface</b>	USB

#### Networking

<b>Data Link Protocol</b>	Ethernet, Fast Ethernet, Gigabit Ethernet
<b>Features</b>	Wake on LAN (WoL), DHCP support, PXE support

#### Expansion / Connectivity

<b>Slots</b>	1 (total) / 0 (free) x SO-DIMM 260-pin 1 (total) / 0 (free) x M.2 Card
<b>Interfaces</b>	3 x USB 3.1 Gen 1 (1 front, 2 rear) 1 x USB-C 3.1 Gen 1 (1 in front) 2 x USB 2.0 Headphones/microphone (1 in front) 2 x DisplayPort 1 x LAN (Gigabit Ethernet)

#### Miscellaneous

<b>Theft/Intrusion Protection</b>	Security lock slot (cable lock sold separately)
<b>Security Slot Type</b>	Kensington security slot
<b>Compliant Standards</b>	UL, VCCI, GS, CB, CCC, FCC, RoHS, KCC, WEEE, CISPR, ICES, MEPS, ERP, CECP, EMI, low halogen
<b>Pricing Type</b>	Promo

#### Power

<b>Device Type</b>	Power adapter
<b>Nominal Voltage</b>	AC 120/230 V (50/60 Hz)
<b>Power Provided</b>	45 Watt

#### Operating System / Software

<b>OS Provided</b>	HP Smart Zero Core
<b>Software</b>	Citrix ICA, HP Easy Tools, HP Device Manager, LogOn Manager, Citrix Receiver, HP TeemTalk Terminal Emulator, Citrix HDX, HP Velocity, HP Smart Zero Client, FreeRDP, Microsoft RemoteFX, VMware Horizon Clients, Mozilla Firefox 50.0.1

#### Environmental Standards

<b>ENERGY STAR Certified</b>	Yes
------------------------------	-----

#### Dimensions & Weight

<b>Width</b>	3.5 cm
<b>Depth</b>	20 cm
<b>Height</b>	20 cm
<b>Weight</b>	962.8 g

#### Environmental Parameters

<b>Min Operating Temperature</b>	10 °C
<b>Max Operating Temperature</b>	40 °C
<b>Humidity Range Operating</b>	10 - 90% (non-condensing)