

Produktinformation



HP t530 - tower - GX-215JJ 1.5 GHz - 4 GB - 32 GB

Information



Tillverkare	HP
Artnr	2DH81AA

With a modern, new look and a small size, the HP t530 has raised the stakes for thin client design. Multiple deployment options allow this thin client to fit into any workspace.

Specifikation

General

Status	N1
Type	Thin client
Product Form Factor	Tower
Embedded Security	Trusted Platform Module (TPM 2.0) Security Chip

Processor / Chipset

CPU	AMD GX-215JJ 1.5 GHz
Max Turbo Speed	2 GHz
Number of Cores	Dual-Core
CPU Qty	1
Max CPU Qty	1
CPU Upgradability	Not upgradable
Processor Main Features	AMD Turbo CORE Technology

Cache Memory

Installed Size	L2 Cache - 1 MB
Cache Per Processor	1 MB

RAM

Installed Size	4 GB / 16 GB (max)
Technology	DDR4 SDRAM - non-ECC
Effective Memory Speed	1866 MHz

Rated Memory Speed	2133 MHz
Memory Specification Compliance	PC4-17000
Form Factor	SO-DIMM 260-pin
Slots	1 (Total) / 0 (empty)
Features	Unbuffered
Configuration Features	1 x 4 GB

Hard Drive

Type	Flash - M.2
Capacity	1 x 32 GB
Features	Multi-level cell (MLC)

Optical Storage

Type	No optical drive
-------------	------------------

Monitor

Monitor Type	None.
---------------------	-------

Graphics Controller

Graphics Processor	AMD Radeon R2E
Video Interfaces	DisplayPort
Max Monitors Supported	2

Input Device

Type	Mouse, keyboard
-------------	-----------------

Keyboard

Keyboard Name	HP Business Slim Keyboard
Interface	USB

Mouse

Technology	Optical
Interface	USB

Networking

Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet
Features	Wake on LAN (WoL), DHCP support, PXE support
Compliant Standards	IEEE 802.1x

Expansion / Connectivity

Slots	1 (total) / 0 (free) x M.2 Card
Interfaces	1 x USB-C 3.1 Gen 1 (1 in front) 3 x USB 3.1 Gen 1 (1 front, 2 rear) 2 x USB 2.0 2 x DisplayPort 1 x LAN (Gigabit Ethernet) - RJ-45 Headphones/microphone (1 in front)

Miscellaneous

Theft/Intrusion Protection	Security lock slot (cable lock sold separately)
-----------------------------------	---

Security Slot Type	Kensington security slot
Compliant Standards	UL, VCCI, GS, CB, CCC, FCC, RoHS, KCC, WEEE, CISPR, ICES, MEPS, ERP, CECP, EMI

Power

Device Type	Power adapter
Nominal Voltage	AC 120/230 V (50/60 Hz)
Power Provided	45 Watt

Operating System / Software

OS Certified	HP ThinPro, Microsoft Windows Embedded Standard 7E, HP Smart Zero Core, Windows 10 IoT Enterprise
Software	Citrix ICA, Microsoft RDP, Microsoft Firewall, HP Universal Print Driver, HP Remote Graphics Software, Microsoft Windows Media Player 12, HP Device Manager, LogOn Manager, Citrix Receiver, Citrix HDX, HP Velocity, Microsoft RemoteFX, Unified Write Filter, Microsoft Internet Explorer 11, HP ThinUpdate, HP Easy Shell, Amazon WorkSpaces, Microsoft SCCM/EDM-agent, VMware Horizon Clients

Environmental Standards

ENERGY STAR Certified	Yes
------------------------------	-----

Dimensions & Weight

Width	3.5 cm
Depth	20 cm
Height	20 cm
Weight	962.8 g

Dimensions & Weight (Shipping)

Shipping Weight	1.9197 kg
------------------------	-----------

Environmental Parameters

Min Operating Temperature	10 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 90% (non-condensing)