

Produktinformation



HP t530 - tower - GX-215JJ 1.5 GHz - 4 GB - flash 32 GB

Information



Tillverkare	HP
Artnr	2DH82AA

With a modern, new look and a small size, the HP t530 has raised the stakes for thin client design. Multiple deployment options allow this thin client to fit into any workspace.

Specifikation

General

Status	N1
Type	Thin client
Product Form Factor	Tower
Embedded Security	Trusted Platform Module (TPM 2.0) Security Chip

Processor / Chipset

CPU	AMD GX-215JJ 1.5 GHz
Max Turbo Speed	2 GHz
Number of Cores	Dual-Core
CPU Qty	1
Max CPU Qty	1
CPU Upgradability	Not upgradable
Processor Main Features	AMD Turbo CORE Technology

Cache Memory

Installed Size	L2 Cache - 1 MB
Cache Per Processor	1 MB

RAM

Installed Size	4 GB / 16 GB (max)
Technology	DDR4 SDRAM - non-ECC
Effective Memory Speed	1866 MHz

Rated Memory Speed	2133 MHz
Form Factor	SO-DIMM 260-pin
Slots	1 (Total) / 0 (empty)
Features	Unbuffered
Configuration Features	1 x 4 GB

Hard Drive

Type	Flash - M.2
Capacity	1 x 32 GB

Optical Storage

Type	No optical drive
-------------	------------------

Monitor

Monitor Type	None.
---------------------	-------

Graphics Controller

Graphics Processor	AMD Radeon R2E
Video Interfaces	DisplayPort
Max Monitors Supported	2

Input Device

Type	Mouse, keyboard
-------------	-----------------

Keyboard

Interface	USB
------------------	-----

Mouse

Technology	Optical
Interface	USB

Networking

Wireless LAN Supported	Yes
Wireless NIC	Intel Dual Band Wireless-AC 3168
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet, Bluetooth, IEEE 802.11ac
Features	Wake on LAN (WoL), DHCP support, PXE support
Compliant Standards	IEEE 802.1x

Expansion / Connectivity

Slots	1 (total) / 0 (free) x M.2 Card
Interfaces	3 x USB 3.1 Gen 1 (1 front, 2 rear) 1 x USB-C 3.1 Gen 1 (1 in front) 2 x USB 2.0 (2 rear) Headphones/microphone (1 in front) 2 x DisplayPort 1 x LAN (Gigabit Ethernet)

Miscellaneous

Theft/Intrusion Protection	Security lock slot (cable lock sold separately)
Security Slot Type	Kensington security slot

Compliant Standards	UL, VCCI, GS, CB, CCC, FCC, RoHS, KCC, WEEE, ICES, MEPS, ERP, CECP, EMI/EMS Class B, low halogen
Power	
Device Type	Power adapter
Nominal Voltage	AC 120/230 V (50/60 Hz)
Power Provided	45 Watt
Operating System / Software	
OS Certified	HP ThinPro, Microsoft Windows Embedded Standard 7E, HP Smart Zero Core, Windows 10 IoT Enterprise
Environmental Standards	
ENERGY STAR Certified	Yes
Dimensions & Weight	
Width	3.5 cm
Depth	20 cm
Height	20 cm
Weight	962.8 g
Environmental Parameters	
Min Operating Temperature	10 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80% (non-condensing)