

## Produktinformation



### HP t630 - tower - GX-420GI 2 GHz - 4 GB - flash 8 GB

#### Information



*Tillverkare* HP  
*Artnr* 2ZU95AT-D1

Optimize your cloud-based deployments with the powerful, highly configurable, and long-lifecycle HP t630. Support your business now and in the future with powerful processing, dual Ultra HD / 4K display compatibility, and possibilities for device and network connectivity and local storage.

## Specifikation

### General

|                            |   |
|----------------------------|---|
| <b>Status</b>              | D1  |
| <b>Type</b>                | Thin client                                     |
| <b>Product Form Factor</b> | Tower   |
| <b>Embedded Security</b>   | Trusted Platform Module (TPM 2.0) Security Chip |

### Processor / Chipset

|                                |                           |
|--------------------------------|---------------------------|
| <b>CPU</b>                     | AMD GX-420GI 2 GHz        |
| <b>Max Turbo Speed</b>         | 2.2 GHz                   |
| <b>Number of Cores</b>         | Quad-Core                 |
| <b>CPU Qty</b>                 | 1                         |
| <b>Max CPU Qty</b>             | 1                         |
| <b>CPU Upgradability</b>       | Not upgradable            |
| <b>Processor Main Features</b> | AMD Turbo CORE Technology |

### Cache Memory

|                            |                 |
|----------------------------|-----------------|
| <b>Installed Size</b>      | L2 Cache - 2 MB |
| <b>Cache Per Processor</b> | 2 MB            |

### RAM

|                               |                      |
|-------------------------------|----------------------|
| <b>Installed Size</b>         | 4 GB / 32 GB (max)   |
| <b>Technology</b>             | DDR4 SDRAM - non-ECC |
| <b>Effective Memory Speed</b> | 1866 MHz             |
| <b>Rated Memory Speed</b>     | 1866 MHz             |

|  |                       |
|--|-----------------------|
| <b>Memory Specification Compliance</b> | PC4-14900             |
| <b>Form Factor</b>                     | SO-DIMM 260-pin       |
| <b>Slots</b>                           | 2 (Total) / 1 (empty) |
| <b>Features</b>                        | Unbuffered            |
| <b>Configuration Features</b>          | 1 x 4 GB              |

#### Hard Drive

|                 |             |
|-----------------|-------------|
| <b>Type</b>     | Flash - M.2 |
| <b>Capacity</b> | 1 x 8 GB    |

#### Optical Storage

|             |                  |
|-------------|------------------|
| <b>Type</b> | No optical drive |
|-------------|------------------|

#### Monitor

|                     |       |
|---------------------|-------|
| <b>Monitor Type</b> | None. |
|---------------------|-------|

#### Graphics Controller

|                               |                |
|-------------------------------|----------------|
| <b>Graphics Processor</b>     | AMD Radeon R7E |
| <b>Video Interfaces</b>       | DisplayPort    |
| <b>Max Monitors Supported</b> | 2              |

#### Input Device

|             |                 |
|-------------|-----------------|
| <b>Type</b> | Mouse, keyboard |
|-------------|-----------------|

#### Keyboard

|                      |                           |
|----------------------|---------------------------|
| <b>Keyboard Name</b> | HP Business Slim Keyboard |
| <b>Interface</b>     | USB                       |

#### Mouse

|                   |         |
|-------------------|---------|
| <b>Technology</b> | Optical |
| <b>Interface</b>  | USB     |

#### Networking

|                           |   |
|---------------------------|---|
| <b>Data Link Protocol</b> | Ethernet, Fast Ethernet, Gigabit Ethernet |
| <b>Features</b>           | Wake on LAN (WoL), PXE support            |

#### Expansion / Connectivity

|                   |  |
|-------------------|--|
| <b>Slots</b>      | 1 (total) / 0 (free) x M.2 Card - 2280 1 (total) / 1 (free) x M.2 Card - 2242  |
| <b>Interfaces</b> | 4 x USB 2.0 (2 front, 2 rear) 3 x USB 3.0 (2 front, 1 internal) 2 x DisplayPort 1 x PS/2 keyboard 1 x PS/2 mouse 1 x LAN (Gigabit Ethernet) 1 x serial 1 x headphones/microphone (1 in front) 1 x audio line-out/line-in |

#### Miscellaneous

|                                   |   |
|-----------------------------------|---|
| <b>Theft/Intrusion Protection</b> | Security lock slot (cable lock sold separately) |
| <b>Security Slot Type</b>         | Kensington security slot                        |

|                            |   |
|----------------------------|---|
| <b>Compliant Standards</b> | FCC Class B certified, UL, GS, CB, CCC, RoHS, ICES Class B, MEPS, KCC Class B, ERP, CECP, VCCI Class B, CISPR Class B |
|----------------------------|---|

|                     |       |
|---------------------|-------|
| <b>Pricing Type</b> | Promo |
|---------------------|-------|

|       |
|-------|
| Power |
|-------|

|                    |               |
|--------------------|---------------|
| <b>Device Type</b> | Power adapter |
|--------------------|---------------|

|                        |                         |
|------------------------|-------------------------|
| <b>Nominal Voltage</b> | AC 120/230 V (50/60 Hz) |
|------------------------|-------------------------|

|                       |         |
|-----------------------|---------|
| <b>Power Provided</b> | 65 Watt |
|-----------------------|---------|

|                             |
|-----------------------------|
| Operating System / Software |
|-----------------------------|

|                    |                    |
|--------------------|--------------------|
| <b>OS Provided</b> | HP Smart Zero Core |
|--------------------|--------------------|

|                         |
|-------------------------|
| Environmental Standards |
|-------------------------|

|                              |     |
|------------------------------|-----|
| <b>ENERGY STAR Certified</b> | Yes |
|------------------------------|-----|

|                     |
|---------------------|
| Dimensions & Weight |
|---------------------|

|              |       |
|--------------|-------|
| <b>Width</b> | 12 cm |
|--------------|-------|

|              |       |
|--------------|-------|
| <b>Depth</b> | 22 cm |
|--------------|-------|

|               |         |
|---------------|---------|
| <b>Height</b> | 25.1 cm |
|---------------|---------|

|               |         |
|---------------|---------|
| <b>Weight</b> | 1.52 kg |
|---------------|---------|

|                                |
|--------------------------------|
| Dimensions & Weight (Shipping) |
|--------------------------------|

|                        |        |
|------------------------|--------|
| <b>Shipping Weight</b> | 4.1 kg |
|------------------------|--------|

|                          |
|--------------------------|
| Environmental Parameters |
|--------------------------|

|                                  |       |
|----------------------------------|-------|
| <b>Min Operating Temperature</b> | 10 °C |
|----------------------------------|-------|

|                                  |       |
|----------------------------------|-------|
| <b>Max Operating Temperature</b> | 40 °C |
|----------------------------------|-------|

|                                 |                           |
|---------------------------------|---------------------------|
| <b>Humidity Range Operating</b> | 10 - 90% (non-condensing) |
|---------------------------------|---------------------------|