

## Produktinformation



### HP t630 - tower - GX-420GI 2 GHz - 4 GB - flash 32 GB

#### Information



*Tillverkare* HP  
*Artnr* 2ZU98AA#AK8

Optimize your cloud-based deployments with the powerful, highly configurable, and long-lifecycle HP t630. Support your business now and in the future with powerful processing, dual Ultra HD / 4K display compatibility, and possibilities for device and network connectivity and local storage.

## Specifikation

### General

|                            |  |
|----------------------------|--|
| <b>Type</b>                | Thin client  |
| <b>Product Form Factor</b> | Tower  |
| <b>Embedded Security</b>   | Trusted Platform Module (TPM 1.2) Security Chip      |
| <b>Localisation</b>        | Language: Finnish, Swedish / region: Finland, Sweden |

### Processor / Chipset

|                                |                           |
|--------------------------------|---------------------------|
| <b>CPU</b>                     | AMD GX-420GI 2 GHz        |
| <b>Max Turbo Speed</b>         | 2.2 GHz                   |
| <b>Number of Cores</b>         | Quad-Core                 |
| <b>CPU Qty</b>                 | 1                         |
| <b>Max CPU Qty</b>             | 1                         |
| <b>CPU Upgradability</b>       | Not upgradable            |
| <b>Processor Main Features</b> | AMD Turbo CORE Technology |

### Cache Memory

|                            |                 |
|----------------------------|-----------------|
| <b>Installed Size</b>      | L2 Cache - 2 MB |
| <b>Cache Per Processor</b> | 2 MB            |

### RAM

|                               |                      |
|-------------------------------|----------------------|
| <b>Installed Size</b>         | 4 GB / 32 GB (max)   |
| <b>Technology</b>             | DDR4 SDRAM - non-ECC |
| <b>Effective Memory Speed</b> | 1866 MHz             |
| <b>Rated Memory Speed</b>     | 1866 MHz             |

|  |                       |
|--|-----------------------|
| <b>Memory Specification Compliance</b> | PC4-14900             |
| <b>Form Factor</b>                     | SO-DIMM 260-pin       |
| <b>Slots</b>                           | 2 (Total) / 1 (empty) |
| <b>Features</b>                        | Unbuffered            |
| <b>Configuration Features</b>          | 1 x 4 GB              |

#### Hard Drive

|                 |             |
|-----------------|-------------|
| <b>Type</b>     | Flash - M.2 |
| <b>Capacity</b> | 1 x 32 GB   |

#### Optical Storage

|             |                  |
|-------------|------------------|
| <b>Type</b> | No optical drive |
|-------------|------------------|

#### Monitor

|                     |       |
|---------------------|-------|
| <b>Monitor Type</b> | None. |
|---------------------|-------|

#### Graphics Controller

|                               |                |
|-------------------------------|----------------|
| <b>Graphics Processor</b>     | AMD Radeon R7E |
| <b>Video Interfaces</b>       | DisplayPort    |
| <b>Max Monitors Supported</b> | 2              |

#### Input Device

|             |                 |
|-------------|-----------------|
| <b>Type</b> | Mouse, keyboard |
|-------------|-----------------|

#### Keyboard

|                      |                           |
|----------------------|---------------------------|
| <b>Keyboard Name</b> | HP Business Slim Keyboard |
| <b>Interface</b>     | USB                       |

#### Mouse

|                   |         |
|-------------------|---------|
| <b>Technology</b> | Optical |
| <b>Interface</b>  | USB     |

#### Networking

|                           |   |
|---------------------------|---|
| <b>Data Link Protocol</b> | Ethernet, Fast Ethernet, Gigabit Ethernet |
| <b>Features</b>           | Wake on LAN (WoL), PXE support            |

#### Expansion / Connectivity

|                   |  |
|-------------------|--|
| <b>Slots</b>      | 1 (total) / 0 (free) x M.2 Card - 2280 1 (total) / 1 (free) x M.2 Card - 2242  |
| <b>Interfaces</b> | 4 x USB 2.0 (2 front, 2 rear) 3 x USB 3.0 (2 front, 1 internal) 2 x DisplayPort 1 x PS/2 keyboard 1 x PS/2 mouse 1 x LAN (Gigabit Ethernet) - RJ-45 1 x serial 1 x headphones/microphone (1 in front) 1 x audio line-out/line-in |

#### Miscellaneous

|                                   |   |
|-----------------------------------|---|
| <b>Theft/Intrusion Protection</b> | Security lock slot (cable lock sold separately) |
| <b>Security Slot Type</b>         | Kensington security slot                        |

**Compliant Standards** FCC Class B certified, UL, GS, CB, CCC, RoHS, ICES Class B, MEPS, KCC Class B, ERP, CECP, VCCI Class B, CISPR Class B

**TAA Compliant** Yes

Power

**Device Type** Power adapter

**Nominal Voltage** AC 120/230 V (50/60 Hz)

**Power Provided** 65 Watt

Operating System / Software

**OS Provided** Microsoft Windows Embedded Standard 7E 32-bit

Environmental Standards

**ENERGY STAR Certified** Yes

Manufacturer Warranty

**Service & Support** Limited warranty - parts and labour - 3 years

Dimensions & Weight

**Width** 12 cm

**Depth** 22 cm

**Height** 25.1 cm

**Weight** 1.52 kg

Dimensions & Weight (Shipping)

**Shipping Weight** 4.1 kg

Environmental Parameters

**Min Operating Temperature** 10 °C

**Max Operating Temperature** 40 °C

**Humidity Range Operating** 10 - 90% (non-condensing)