

## Produktinformation



### HP t630 - tower - GX-420GI 2 GHz - 8 GB - flash 32 GB

#### Information



*Tillverkare* HP  
*Artnr* 2ZV01AA-R

Optimize your cloud-based deployments with the powerful, highly configurable, and long-lifecycle HP t630. Support your business now and in the future with powerful processing, dual Ultra HD / 4K display compatibility, and possibilities for device and network connectivity and local storage.

## Specifikation

### General

<b>Status</b>	W2
<b>Type</b>	Thin client
<b>Product Form Factor</b>	Tower
<b>Embedded Security</b>	Trusted Platform Module (TPM 2.0) Security Chip

### Processor / Chipset

<b>CPU</b>	AMD GX-420GI 2 GHz
<b>Max Turbo Speed</b>	2.2 GHz
<b>Number of Cores</b>	Quad-Core
<b>CPU Qty</b>	1
<b>Max CPU Qty</b>	1
<b>CPU Upgradability</b>	Not upgradable
<b>Processor Main Features</b>	AMD Turbo CORE Technology

### Cache Memory

<b>Installed Size</b>	L2 Cache - 2 MB
<b>Cache Per Processor</b>	2 MB

### RAM

<b>Installed Size</b>	8 GB / 32 GB (max)
<b>Technology</b>	DDR4 SDRAM - non-ECC
<b>Effective Memory Speed</b>	1866 MHz
<b>Rated Memory Speed</b>	1866 MHz

<b>Memory Specification Compliance</b>	PC4-14900
<b>Form Factor</b>	SO-DIMM 260-pin
<b>Slots</b>	2 (Total) / 0 (empty)
<b>Features</b>	Unbuffered
<b>Configuration Features</b>	2 x 4 GB
Hard Drive	
<b>Type</b>	Flash - M.2
<b>Capacity</b>	1 x 32 GB
Optical Storage	
<b>Type</b>	No optical drive
Monitor	
<b>Monitor Type</b>	None.
Graphics Controller	
<b>Graphics Processor</b>	AMD Radeon R7E
<b>Video Interfaces</b>	DisplayPort
<b>Max Monitors Supported</b>	2
Input Device	
<b>Type</b>	Mouse, keyboard
Keyboard	
<b>Keyboard Name</b>	HP Business Slim Keyboard
<b>Interface</b>	USB
Mouse	
<b>Technology</b>	Optical
<b>Interface</b>	USB
Networking	
<b>Wireless LAN Supported</b>	Yes
<b>Wireless NIC</b>	Intel Dual Band Wireless-AC 3168
<b>Data Link Protocol</b>	Ethernet, Fast Ethernet, Gigabit Ethernet, Bluetooth, IEEE 802.11ac
<b>Features</b>	Wake on LAN (WoL), PXE support
Expansion / Connectivity	
<b>Slots</b>	1 (total) / 0 (free) x M.2 Card - 2280 1 (total) / 0 (free) x M.2 Card - 2242
<b>Interfaces</b>	4 x USB 2.0 (2 front, 2 rear) 3 x USB 3.0 (2 front, 1 internal) 2 x DisplayPort 1 x PS/2 keyboard 1 x PS/2 mouse 1 x LAN (Gigabit Ethernet) 1 x serial 1 x headphones/microphone (1 in front) 1 x audio line-out/line-in
Miscellaneous	
<b>Theft/Intrusion Protection</b>	Security lock slot (cable lock sold separately)

Security Slot Type	Kensington security slot
Compliant Standards	FCC Class B certified, UL, GS, CB, CCC, RoHS, ICES Class B, MEPS, KCC Class B, ERP, CECP, VCCI Class B, CISPR Class B
TAA Compliant	Yes
Power	
Device Type	Power adapter
Nominal Voltage	AC 120/230 V (50/60 Hz)
Power Provided	65 Watt
Environmental Standards	
ENERGY STAR Certified	Yes
Dimensions & Weight	
Width	12 cm
Depth	22 cm
Height	25.1 cm
Weight	1.52 kg
Dimensions & Weight (Shipping)	
Shipping Weight	4.1 kg
Environmental Parameters	
Min Operating Temperature	10 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 90% (non-condensing)