

Produktinformation



HP E23 G4 - E-Series - LED monitor - Full HD (1080p) - 23"

Information



Tillverkare	HP
Artnr	9VF96AA#ABB

Work comfortably and stay focused with the optimized ergonomics of the HP E23 G4 monitor with HP Eye Ease that is designed around you. Make life easy for IT with remote manageability.

Specifikation

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Diagonal Size	23"
Viewable Size	23"
Built-in Devices	USB 3.2 Gen 1 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.265 mm
Pixel Per Inch	96
Brightness	250 cd/m ²
Contrast Ratio	1000:1
Response Time	5 ms (grey-to-grey with overdrive)
Vertical Refresh Rate	50 - 60 Hz
Horizontal Refresh Rate	30 - 80 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	LED backlight
Bezel Type	Flat front

Features	Low Blue Light Mode, Flicker Free technology, 3-sided micro-edge, 6-bit + FRC Color Depth
Colour	Black, silver
Dimensions (WxDxH)	52.16 cm x 20.7 cm x 48.98 cm - with stand
Weight	5.4 kg
Connectivity	
Interfaces	DisplayPort 1.2 HDMI VGA 4 x USB 3.2 Gen 1 downstream USB 3.2 Gen 1 upstream (Type B)
Mechanical	
Display Position Adjustments	Pivot (rotation), swivel, tilt
Tilt Angle	-5/+23
Swivel Angle	90
Rotation Angle	180
Height Adjustment	150 mm
VESA Mounting Interface	100 x 100 mm
Miscellaneous	
Features	Security lock slot (cable lock sold separately), detachable stand, VESA interface support
Cables Included	1 x DisplayPort 1.2 cable 1 x USB cable 1 x HDMI cable
Compliant Standards	VCCI, BSMI, NOM, TUV S, CB, CCC, PSB, FCC, ISO 9241-307, KCC, WEEE, cTUVus, MEPS, KC, CECF, CEL, EAC, ISC, SEPA, BIS, DisplayPort 1.2, ICE, UAE
Localisation	English / Europe
Security Slot Type	Kensington security slot
Power	
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	26 Watt
Power Consumption Stand by	0.5 Watt
Dimensions & Weight	
Dimensions & Weight Details	With stand - width: 52.16 cm - depth: 20.7 cm - height: 48.98 cm - weight: 5.4 kg Without stand - width: 52.16 cm - depth: 4.7 cm - height: 31.31 cm
Dimensions & Weight (Shipping)	
Shipping Width	58.1 cm
Shipping Depth	22.3 cm
Shipping Height	37.2 cm
Shipping Weight	8 kg
Environmental Standards	

TCO Certified	TCO Certified Displays 8, TCO Certified Edge Displays
ENERGY STAR Certified	Yes
Manufacturer Warranty	
Service & Support	Limited warranty - parts and labour - 3 years
Environmental Parameters	
Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80% (non-condensing)