

Produktinformation



Information



Tillverkare HP
Artnr E4U30AA#ABB-R_G

HP EliteDisplay E190i - LED monitor - 18.9"

The legacy friendly, business-critical IPS display. Get a 5:4 aspect ratio display designed for all of your business-specific applications, with the impeccable presentation and extra-wide viewing angles of IPS technology. Enjoy customizable comfort from a completely adjustable stand and be environmentally responsible with designed-in energy efficiency.

Specifikation

General

Status	W1
Display Type	LED-backlit LCD monitor / TFT active matrix
Diagonal Size	18.9"
Viewable Size	18.9"
Built-in Devices	USB 2.0 hub
Panel Type	IPS
Aspect Ratio	5:4
Native Resolution	1280 x 1024 at 60 Hz
Pixel Pitch	0.2928 mm
Brightness	250 cd/m ²
Contrast Ratio	1000:1 / 3000000:1 (dynamic)
Colour Support	16.7 million colours
Response Time	14 ms (grey-to-grey)
Vertical Refresh Rate	50 - 76 Hz
Horizontal Refresh Rate	53 - 82 kHz
Video Bandwidth	135 MHz
Horizontal Viewing Angle	178

Vertical Viewing Angle	178
Screen Coating	Anti-glare, anti-static
Backlight Technology	WLED
Colour Temperature	6500K
OSD Languages	Chinese (traditional), Chinese (simplified), English, German, French, Portuguese, Spanish, Dutch, Japanese
Features	72% colour gamut
Colour	Black
Dimensions (WxDxH)	41.7 cm x 4.7 cm x 34.7 cm - without stand
Weight	3 kg
Connectivity	
Interfaces	USB 2.0 upstream (Type B) USB 2.0 downstream (Type A) DVI-D DisplayPort VGA
Mechanical	
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+25
Swivel Angle	360
Rotation Angle	90
Height Adjustment	12 cm
VESA Mounting Interface	100 x 100 mm
Miscellaneous	
Features	Security lock slot (cable lock sold separately)
Cables Included	1 x VGA cable - 1.8 m 1 x DisplayPort cable - 1.8 m 1 x USB cable - 1.8 m
Backlight Life	30,000 hours
Compliant Standards	Plug and Play, CSA, UL, TUV, VCCI, GS, CCC, FCC, ISO 9241-307, KCC, CISPR, MEPS, KC, CECP, EuP
Localisation	Europe
Power	
Power Supply	Internal
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	25 Watt
Power Consumption Stand by	0.5 Watt
Software / System Requirements	
Included Software	HP Display Assistant
Dimensions & Weight	

Dimensions & Weight Details		Without stand - width: 41.7 cm - depth: 4.7 cm - height: 34.7 cm - weight: 3 kg With stand - width: 41.7 cm - depth: 19.2 cm - height: 48.6 cm - weight: 4.9 kg
Environmental Standards		
TCO Certified		TCO Certified Displays 8
EPEAT Compliant		EPEAT Gold
ENERGY STAR Certified		Yes
Manufacturer Warranty		
Service & Support		Limited warranty - 3 years
Environmental Parameters		
Min Operating Temperature		0 °C
Max Operating Temperature		40 °C
Humidity Range Operating		15 - 80% (non-condensing)