

Produktinformation



HP Z38c - LED monitor - curved - 37.5"

Information



Tillverkare	HP
Artnr	Z4W65A4#ABB

Completely immerse yourself in the expansive elegance of the HP Z38c Curved Display. Form meets function with crisp, panoramic views so you can stay focused on your work.

Specifikation

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class B
Energy Consumption per Year	93 kWh
Power Consumption (On mode)	64 W
Diagonal Size	37.5"
Viewable Size	37.5"
Curved Screen	Yes (2300R)
Built-in Devices	USB-C hub
Panel Type	IPS
Aspect Ratio	21:9
Native Resolution	UWQHD+ 3840 x 1600 at 60 Hz
Pixel Pitch	0.229 mm
Pixel Per Inch	110.93
Brightness	300 cd/m ²
Contrast Ratio	1000:1 / 5000000:1 (dynamic)
Colour Support	1.07 billion colours
Response Time	14 ms (grey-to-grey); 5 ms (grey-to-grey with overdrive)
Vertical Refresh Rate	24 - 76 Hz
Horizontal Refresh Rate	27 - 130 kHz
Horizontal Viewing Angle	178

Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	WLED
OSD Languages	Chinese (traditional), Chinese (simplified), English, German, French, Italian, Portuguese, Spanish, Dutch, Japanese
Features	HDCP, 98% colour gamut, Micro Edge
Colour	Black
Dimensions (WxDxH)	89.55 cm x 24.8 cm x 55.87 cm - with stand
Weight	13.8 kg
Connectivity	
Interfaces	HDMI (HDCP) USB-C (HDCP) DisplayPort (HDCP) 2 x USB downstream 3 x USB 3.0 downstream Audio line-out USB downstream USB-C upstream
Mechanical	
Display Position Adjustments	Height, swivel, tilt
Tilt Angle	-5/+20
Swivel Angle	90
Height Adjustment	120 mm
VESA Mounting Interface	100 x 100 mm
Miscellaneous	
Features	Security lock slot (cable lock sold separately), detachable stand
Cables Included	1 x DisplayPort cable 1 x HDMI cable 1 x USB-C cable
Backlight Life	30,000 hours
Compliant Standards	Plug and Play, VCCI, BSMI, TUV S, WHQL, CB, CCC, PSB, FCC, ISO 9241-307, WEEE, ICES, cTUVus, MEPS, KC, CECP, EAC, ISC, MSIP, SEPA, BIS, CoC
Localisation	English / Europe
Power	
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	80 Watt
Power Consumption Stand by	0.5 Watt
On / Off Switch	Yes
Software / System Requirements	
Included Software	HP Display Assistant
Dimensions & Weight	
Dimensions & Weight Details	With stand - width: 89.55 cm - depth: 24.8 cm - height: 55.87 cm - weight: 13.8 kg Without stand - width: 89.55 cm - depth: 10.42 cm - height: 39.95 cm - weight: 9.8 kg

Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80% (non-condensing)