

Produktinformation



Information

lenovo

Tillverkare Lenovo
Artnr 61EAGDT6SE

Lenovo ThinkVision P27q-20 - LED monitor - 27"

The ThinkVision P27q monitor has a black glossy appearance with a full function ergonomic stand. It offers a crystal clear borderless IPS display of 2560x1440 resolution and sRGB 99% color gamut, providing vivid, accurate images from a wide viewing angle. Moreover, each monitor has been pre-calibrated to obtain an accurate and consistent color with a factory calibration report. With built-in power and the rich connectivity of 2HDMI, DP, mDP and DP out, P27q satisfies diverse connection demand and can make multi-screen easier with daisy chain. P27q also has 4 USB3.0 ports, including 1 with BC1.2, which offers quick charge to your USB devices. Its full function stand supports lift, tilt, pivot and swivel, which are all for your ease of use.

Specifikation

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Diagonal Size	27"
Viewable Size	27"
Built-in Devices	USB 3.1 Gen 1 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	QHD 2560 x 1440 at 60 Hz
Pixel Pitch	0.2331 mm
Pixel Per Inch	109
Brightness	350 cd/m ²
Contrast Ratio	1000:1 / 3000000:1 (dynamic)
Colour Support	16.7 million colours
Response Time	6 ms (normal); 4 ms (extreme)
Vertical Refresh Rate	50 - 76 Hz
Horizontal Refresh Rate	30 - 90 kHz
Horizontal Viewing Angle	178

Vertical Viewing Angle	178
Screen Coating	Anti-glare
Backlight Technology	WLED
Bezel Type	Flat front
Features	99% sRGB colour gamut, integrated cable management, Flicker Free technology, 85% DCI-P3, Low Blue Light technology, Delta E<2 calibration, 99% BT.709 colour gamut, 4-side NearEdgeless
Colour	Raven black
Dimensions (WxDxH)	61.38 cm x 20.8 cm x 44.15 cm - with stand
Weight	7.12 kg

Connectivity

Interfaces	HDMI DisplayPort 1.2 DisplayPort 1.2 output USB 3.1 Gen 1 upstream 3 x USB 3.1 Gen 1 downstream USB 3.1 Gen 1 downstream with Battery Charging Headphones
-------------------	---

Mechanical

Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+35
Swivel Angle	90
Rotation Angle	180
Height Adjustment	135 mm
VESA Mounting Interface	100 x 100 mm

Miscellaneous

Features	Security lock slot (cable lock sold separately)
Cables Included	1 x DisplayPort cable - 1.8 m 1 x USB cable - 1.8 m
Compliant Standards	CCC, RoHS, TUV Rheinland Eye Comfort Certification, China Energy standard Tier 1
Localisation	EMEA
Security Slot Type	Kensington security slot

Power

Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	22 Watt
Power Consumption Stand by	0.5 Watt
Power Consumption Sleep	0.5 Watt
Power Consumption (Off Mode)	0.3 Watt

Dimensions & Weight

Dimensions & Weight Details	With stand (lowest position) - width: 61.38 cm - depth: 20.8 cm - height: 44.15 cm - weight: 7.12 kg With stand (highest position) - width: 61.38 cm - depth: 20.8 cm - height: 57.65 cm - weight: 7.12 kg Without stand - width: 61.38 cm - depth: 4.69 cm - height: 35.38 cm - weight: 4.64 kg
--	--

Dimensions & Weight (Shipping)

Shipping Width	72.2 cm
Shipping Depth	18.2 cm
Shipping Height	46.3 cm
Shipping Weight	9.26 kg

Environmental Standards

TCO Certified	TCO Certified Displays 8, TCO Certified Edge Displays
EPEAT Compliant	EPEAT Silver
ENERGY STAR Certified	Yes
ENERGY STAR Version	8.0

Manufacturer Warranty

Service & Support	Limited warranty - 3 years
------------------------------	----------------------------