

Produktinformation



Information

<i>Tillverkare</i>	QNAP
<i>Artnr</i>	TS-873-8G

QNAP TS-873-8G - NAS server - 8 bays - SATA 6Gb/s - RAID 0, 1, 5, 6, 10, JBOD, 5 hot spare, 6 hot spare, 10 hot spare - RAM 8 GB - Gigabit Ethernet - iSCSI

The TS-873 is powered by a high-performance and energy-efficient CPU and provides two PCIe slots for greater functionality. You can install a QNAP QM2 expansion card to add M.2 SSD caching/10GbE connectivity; a compatible wireless card to use the TS-873 as a wireless access point; and an entry-level graphics card to boost system performance for 4K video performance. The TS-873 allows you to flexibly deploy a wide range of applications with a more affordable budget.

Specifikation

General

Device Type	NAS server
Host Connectivity	Gigabit Ethernet
Total Storage Capacity	0 GB
Installed Devices / Modules Qty	0 (installed) / 8 (max)
Width	32.93 cm
Depth	27.96 cm
Height	18.82 cm
Weight	6.59 kg

Processor / Memory

Processors Installed	1 x AMD R-series RX-421ND 2.1 GHz
Number of Cores	Quad-Core
Max Supported Qty	1
Max Turbo Speed	3.4 GHz
RAM	8 GB (installed) / 64 GB (supported) - DDR4
Flash Memory Installed	512 MB

Storage Controller	
Type	RAID
Interface Type	SATA 6Gb/s
RAID Level	RAID 0, RAID 1, RAID 5, RAID 6, RAID 10, JBOD, RAID 5 hot spare, RAID 6 hot spare, RAID 10 hot spare
Networking	
Data Link Protocol	10Mb LAN, 100Mb LAN, GigE
Network / Transport Protocol	TCP/IP, PPTP, L2TP, IPSec, SMTP, FTP, DHCP, DDNS
Remote Management Protocol	SNMP 2, Telnet, SNMP 3, HTTP, HTTPS, TFTP, SSH
Network Services Compatibility	Microsoft Active Directory (AD), DHCP, DDNS, Microsoft CIFS, FTP, Server Message Block (SMB), Apple File Protocol (AFP), HTTP, HTTPS, Web-based Distributed Authoring and Versioning (WebDAV)
Features	NAT support, trunking, LDAP support, wake on LAN (WOL), Syslog support, E-mail alert, print server, IPv6 support, Spanning Tree Protocol (STP) support, download client, file sharing, Trivial File Transfer Protocol (TFTP) support, SSH support, iTunes server, Jumbo Frames support, DHCP server, FTP server, SMS alert, BitTorrent Client, UPnP Media Server, bandwidth control, IPv4 support, surveillance station, teaming support, DLNA Media Server, Apple Time Machine compatible, DHCP client, e-mail notification, cloud backup, VPN Server, Virtual Switch Bonding (VSB), Apple AirPlay, event notification, push notification, Chromecast support, file station
Encryption Algorithm	SSL, TLS, FIPS 140-2, 256-bit AES, AES-NI
Compliant Standards	UPnP
Expansion / Connectivity	
Expansion Bays	8 (total) / 8 (free) x hot-swap - 2.5" / 3.5"
Expansion Slots	4 (total) / 2 (free) x DIMM 288-pin 2 (total) / 2 (free) x M.2 2 (total) / 2 (free) x PCI Express 3.0 x4
Interfaces	4 x Ethernet 1000Base-T - RJ-45 4 x USB 3.0 - Type A
Miscellaneous	
Cables Included	2 x network cable
Features	Security lock slot (cable lock sold separately), wake on LAN, built-in 2 cooling fans
Security Slot Type	Kensington security slot
Power	
Power Device	Internal power supply
Installed Qty	1
Max Supported Qty	1
Voltage Required	AC 120/230 V (50/60 Hz)
Power Provided	250 Watt
Software / System Requirements	

Storage Operating System	QNAP QTS 4.3.4
OS Required	UNIX, Linux, Microsoft Windows Server 2003, Microsoft Windows Server 2008 R2, Apple MacOS X 10.7 or later, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2, Microsoft Windows 7 / 8 / 10
Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	5 - 95% (non-condensing)
Sound Emission	23.4 dBA