

Produktinformation



Information

<i>Tillverkare</i>	QNAP
<i>Artnr</i>	TVS-872XT-I5-16G

**QNAP TVS-872XT - NAS server - 8 bays -
SATA 6Gb/s - RAID 0, 1, 5, 6, 10, 50, JBOD, 60
- RAM 16 GB - Gigabit Ethernet / 10 Gigabit
Ethernet / Thunderbolt 3 - iSCSI**

Specifikation

General

Device Type	NAS server
Host Connectivity	Gigabit Ethernet / 10 Gigabit Ethernet / Thunderbolt 3
Total Storage Capacity	0 GB
Installed Devices / Modules Qty	0 (installed) / 8 (max)
Width	36.99 cm
Depth	21.98 cm
Height	23.46 cm
Built-in Devices	Led panel

Processor / Memory

Processors Installed	1 x Intel Core i5 8400T 1.7 GHz
Number of Cores	6-core
Max Supported Qty	1
Max Turbo Speed	3.3 GHz
RAM	16 GB (installed) / 32 GB (supported) - DDR4
Flash Memory Installed	4 GB

Storage Controller

Type	RAID
Interface Type	SATA 6Gb/s
RAID Level	RAID 0, RAID 1, RAID 5, RAID 6, RAID 10, RAID 50, JBOD, RAID 60

Networking

Data Link Protocol	10Mb LAN, 100Mb LAN, GigE, 10 GigE, Thunderbolt 3
Network / Transport Protocol	TCP/IP, PPTP, iSCSI, SMTP, FTP, DHCP, Bonjour, SMB, DDNS
Remote Management Protocol	SNMP 2, Telnet, SNMP 3, HTTP, HTTPS, TFTP, SSH
Network Services Compatibility	Microsoft Active Directory (AD), Apple Bonjour Protocol, DHCP, DDNS, Microsoft CIFS, Network File System (NFS), FTP, FTPS, Server Message Block (SMB), Apple File Protocol (AFP), HTTP, HTTPS, Web-based Distributed Authoring and Versioning (WebDAV), SFTP
Features	LDAP support, wake on LAN (WOL), Syslog support, E-mail alert, IPv6 support, Access Control List (ACL) support, DHCP server, SMS alert, reset button, IPv4 support, DHCP client, 4K resolution support, cloud backup, Real-time Remote Replication (RTRR)
Encryption Algorithm	SSL, 128-bit AES, 256-bit AES
Compliant Standards	DLNA CERTIFIED, UPnP
Expansion / Connectivity	
Expansion Bays	8 (total) / 8 (free) x hot-swap - 2.5" / 3.5"
Expansion Slots	1 (total) / 1 (free) x PCI Express 3.0 x4 1 (total) / 0 (free) x PCI Express 3.0 x16 2 (total) / 2 (free) x M.2
Interfaces	2 x Ethernet 1000Base-T - RJ-45 1 x Ethernet 10Gb - RJ-45 1 x USB 3.0 - Type A 1 x HDMI output - Type A 4 x Thunderbolt 3 2 x USB 3.1 Gen 2 - Type A
Miscellaneous	
Cables Included	2 x 1000Base-T cable 1 x 10GBase-T cable
Features	Security lock slot (cable lock sold separately), built-in 2 cooling fans
Security Slot Type	Kensington security slot
Compliant Standards	FIPS 140-2
Included Accessories	2 x M.2 SSD heatsink, 12 x flat head screws (for 2.5" HDD), 16 x flat head screws (for 3.5" HDD)
Power	
Power Device	Internal power supply
Voltage Required	AC 120/230 V (50/60 Hz)
Power Provided	250 Watt
Software / System Requirements	
Storage Operating System	QNAP QTS 4.3.5
OS Required	UNIX, Linux, Microsoft Windows Server 2003, Microsoft Windows Server 2008 R2, Apple MacOS X 10.7 or later, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2, Microsoft Windows 7 / 8 / 10, Microsoft Windows Server 2016
Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	5 - 95% (non-condensing)