

## Produktinformation



### Information

<i>Tillverkare</i>	Schneider Electric
<i>Artnr</i>	AP8959EU3

## APC Switched Rack PDU 2G Zero U - Power distribution strip (rack-mountable) - AC 200/208/230 V - RS-232 - input: IEC 60309 16A - output connectors: 24 - black - for P/N: SMX1500RMNCUS, SRT1000RMXLI, SRT1000RMXLI-NC, SRT10RMXLIX806, SRT5KRMXLW-TW

APC Switched Rack Power Distribution Units (PDUs) enable advanced, user-customizable power control and active monitoring. Remote outlet level controls allow power on/off functionality for power recycling to remotely reboot equipment and restrict unauthorized use of individual outlets. Power sequencing delays allow users to define the order in which to power up or down attached equipment. Avoid circuit overload during power recovery and extend uptime of critical equipment by prioritizing the load shedding. Current metering provides real-time remote monitoring of connected loads. Switched Rack PDUs include real power monitoring, a temperature/humidity sensor port, locking IEC receptacles, and low profile circuit breakers. User-defined alarms warn of potential circuit overloads before critical IT failures occur. Users can access, configure, and control Switched Rack PDUs through secure Web, SNMP, or Telnet Interfaces.

## Specifikation

### General

<b>Device Type</b>	Power distribution strip - rack-mountable
<b>Colour</b>	Black

### Power Device

<b>Input Voltage</b>	AC 200/208/230 V
<b>Input Voltage Range</b>	AC 220 - 240 V
<b>Frequency Required</b>	50/60 Hz
<b>Input Connectors</b>	1 x power IEC 60309 16A
<b>Power Output Connectors Details</b>	3 x power IEC 60320 C19 21 x power IEC 60320 C13
<b>Output Voltage</b>	AC 230 V

### Networking

<b>Remote Management Interface</b>	RS-232
<b>Remote Management Protocol</b>	SNMP, Telnet, HTTP
Expansion / Connectivity	
<b>Interfaces</b>	1 x management
Miscellaneous	
<b>Cables Included</b>	Power cable - external - 3 m Serial cable - external
<b>Rack Mounting Kit</b>	Included
<b>Features</b>	LCD display
<b>Compliant Standards</b>	UL, cUL, EN 61000-3-2, EN55022, ICES-003, VDE, VCCI Class A ITE, EN 61000-3-3, EN55024, RoHS, FCC Part 15 A, PSE Mark, REACH
Manufacturer Warranty	
<b>Service &amp; Support</b>	Limited warranty - 2 years
Environmental Parameters	
<b>Min Operating Temperature</b>	-5 °C
<b>Max Operating Temperature</b>	45 °C
<b>Humidity Range Operating</b>	5 - 95%
Dimensions & Weight	
<b>Width</b>	5.6 cm
<b>Depth</b>	4.6 cm
<b>Height</b>	179 cm
<b>Weight</b>	5.7 kg
Dimensions & Weight (Shipping)	
<b>Shipping Width</b>	16.5 cm
<b>Shipping Depth</b>	11.4 cm
<b>Shipping Height</b>	200 cm
<b>Shipping Weight</b>	8.6 kg
Compatibility Information	
<b>Designed For</b>	P/N: AP5607, AP6351CH, AP6451CH, AR2200, AR2280, AR2400, AR2400FP1, AR2401, AR2407, AR2480, AR2487, AR2487G, AR2500, AR2507, AR2580, AR2587, AR3100G, AR3100TAA, AR3100W, AR3100X609, AR3100X610, AR3100X617, AR3105, AR3105SP, AR3105W, AR3107G, AR3107SP, AR3107X609, AR3107X610, AR3107X617, AR3130, AR3140G, AR3140W, AR3150SP, AR3150W, AR3150X609, AR3150X610, AR3150X617, AR3155, AR3155SP, AR3155W, AR3157SP, AR3157X609, AR3157X610, AR3157X617, AR3180G, AR3300G, AR3300SP, AR3300W, AR3300X609, AR3300X610, AR3300X617, AR3305, AR3305SP, AR3305W, AR3307SP, AR3307W, AR3307X609, AR3307X610, AR3307X617, AR3340, AR3340G, AR3340W, AR3350SP, AR3350W, AR3350X609, AR3350X610, AR3350X617, AR3355, AR3355SP, AR3355W, AR3357SP, AR3357X609, AR3357X610, AR3357X617, AR3357X674,

NBES0302, NBP0160A, NBP0171, NBP0172, NBP0180,  
NBWL0355A, NBWL0356A, SMC1000, SMC1000-2U, SMC1000-  
BR, SMC1000I, SMC1000I-2U, SMC1000I-2UC, SMC1000I-  
BR, SMC1000IC, SMC1500, SMC15002U-BR, SMC1500-BR,  
SMC1500I, SMC1500I-2U, SMC1500I2U-BR, SMC1500I-2UC,  
SMC1500I-BR, SMC1500IC, SMC2000I-2U, SMC3000RMI2U,  
SMT1500RM1U, SMT1500RM2U, SMT1500RMI1U, SMT2200RM2UC,  
SMT3000I2U-BR, SMT3000RM2UC, SMT3000RMT2U, SMX1000US,  
SMX1500RMNCUS, SMX1500RMUS, SMX2000LV, SMX2000LVNC,  
SMX2000LVNCUS, SMX2000LVUS, SMX2200HV, SMX2200HVNC,  
SMX2200R2HVNC, SMX2200RMHV2U, SMX2200RMLV2U,  
SMX2200RMLVUS, SMX3000HV, SMX3000HV-BR, SMX3000HVNC,  
SMX3000HVT, SMX3000HVTUS, SMX3000LV, SMX3000LV2U-  
BR, SMX3000LVNC, SMX3000LVNCUS, SMX3000LVUS,  
SMX3000RMHV2U, SMX3000RMHV2UNC, SMX3000RMLVUS,  
SMX3KRMLVNCUS, SMX750-NMC, SMX750US, SRT1000RMXLA,  
SRT1000RMXLA-NC, SRT1000RMXLI, SRT1000RMXLI-  
NC, SRT10KRMXLI, SRT10RMXLIX806, SRT1500RMXLA,  
SRT1500RMXLA-NC, SRT5KRMXLT, SRT5KRMXLT-IEC,  
SRT5KRMXLTUS, SRT5KRMXLW-HW, SRT5KRMXLW-TW,  
SRT6KRMXLI, SRT6KRMXLT, SRT6KRMXLT-IEC, SRT8KRMXLI,  
SRT8KRMXLT, SRT8KRMXLT-IEC, SUA3000RMXL3U-BR,  
SURT3000XLI-ET, SURT5000XLIX438, SYA12K16RMICH,  
SYA16K16RMICH, SYA8K16RMICH, SYAF16KRMICH